# STATE HOUSING DEVELOPMENT AUTHORITY GENERAL RULES

#### **PART 1. GENERAL PROVISIONS**

R 125.101

Source: 1991 AACS.

R 125.102

Source: 1998-2000 AACS.

R 125.103

**Source:** 1998-2000 AACS.

R 125.103

Source: 1991 AACS.

R 125.105

Source: 1998-2000 AACS.

R 125.113

Source: 1985 AACS.

#### PART 2. APPLICATIONS AND APPLICANT ELIGIBILITY

R 125.122

Source: 1998-2000 AACS.

#### PART 3. DEVELOPMENT FUND LOANS AND FEASIBLE PROJECTS

R 125.131

Source: 1998-2000 AACS.

125.132.

**Source:** 1998-2000 AACS.

R 125.133

**Source:** 1998-2000 AACS.

#### **PART 4. MORTGAGE LOANS**

R 125.142

Source: 1981 AACS.

R 125.143

Source: 1983 AACS.

R 125.146

Source: 1998-2000 AACS.

#### PART 5. DEVELOPMENT FUND GRANTS

R 125.151

**Source:** 1998-2000 AACS.

R 125.152

**Source:** 1998-2000 AACS.

R 125.153

Source: 1998-2000 AACS.

#### PART 8. HOME IMPROVEMENT LOANS

R 125.181

Source: 1998-2000 AACS.

R 125.183

Source: 1998-2000 AACS.

R 125.184

**Source:** 1998-2000 AACS.

#### PART 9. NEIGHBORHOOD IMPROVEMENT DEFERRED PAYMENT LOANS

R 125.191

Source: 1997 AACS.

R 125.192

Source: 1997 AACS.

R 125.193

Source: 1997 AACS.

R 125.194

Source: 1997 AACS.

### PART 10. IDENTITY OF INTEREST WITH VENDORS TO AUTHORITY-FINANCED DEVELOPMENTS

R 125.201

Source: 1991 AACS.

R 125.202

Source: 1991 AACS.

R 125.203

Source: 1991 AACS.

R 125.204

Source: 1991 AACS.

### PART 11. DEBARMENT AND SUSPENSION FROM PARTICIPATION IN AUTHORITY PROGRAMS AND TRANSACTIONS

R 125.211

Source: 1991 AACS.

R 125.212

Source: 1991 AACS.

R 125.213

Source: 1991 AACS.

R 125.214

R 125.215 Source: 1991 AACS. R 125.216 Source: 1991 AACS.

Source: 1991 AACS.

5**04166.** 1991 711165

**R 125.217 Source:** 1991 AACS.

**R 125.218 Source:** 1991 AACS.

R 125.219 Source: 1991 AACS.

R 125.220 Source: 1991 AACS.

**R 125.221 Source:** 1991 AACS.

**R 125.222 Source:** 1991 AACS.

R 125.223 Source: 1991 AACS.

**R 125.224 Source:** 1991 AACS.

#### MICHIGAN JOBS COMMISSION STATE RESEARCH FUND

R 125.301 Source: 1998-2000 AACS.

R 125.302 Source: 1998-2000 AACS.

R 125.303 Source: 1998-2000 AACS.

R 125.304 Source: 1998-2000 AACS.

**R 125.305 Source:** 1998-2000 AACS.

**R 125.306 Source:** 1998-2000 AACS.

**R 125.307 Source:** 1998-2000 AACS.

R 125.308

Source: 1998-2000 AACS.

R 125.309

Source: 1998-2000 AACS.

R 125.310

**Source:** 1998-2000 AACS.

R 125.311

Source: 1998-2000 AACS.

R 125.312

**Source:** 1998-2000 AACS.

R 125.313

Source: 1998-2000 AACS.

R 125.314

Source: 1998-2000 AACS.

R 125.315

**Source:** 1998-2000 AACS.

R 125.316

Source: 1998-2000 AACS.

R 125.317

Source: 1998-2000 AACS.

R 125.318

Source: 1998-2000 AACS.

R 125.319

Source: 1998-2000 AACS.

R 125.320

**Source:** 1998-2000 AACS.

R 125.321

Source: 1998-2000 AACS.

R 125.322

**Source:** 1998-2000 AACS.

R 125.323

Source: 1998-2000 AACS.

R 125.324

**Source:** 1998-2000 AACS.

R 125.325

Source: 1998-2000 AACS.

# DEPARTMENT OF CONSUMER AND INDUSTRY SERVICES BUREAU OF COMMUNITY SERVICES NEIGHBORHOOD ASSISTANCE AND PARTICIPATION PROGRAM

R 125.601

Source: 1981 AACS.

R 125.602

Source: 1981 AACS.

R 125.603

Source: 1981 AACS.

R 125.604

Source: 1981 AACS.

R 125.605

Source: 1981 AACS.

R 125.606

Source: 1981 AACS.

R 125.607

Source: 1981 AACS.

R 125.608

Source: 1981 AACS.

R 125.609

Source: 1981 AACS.

R 125.610

Source: 1981 AACS.

R 125.611

Source: 1981 AACS.

R 125.612

Source: 1981 AACS.

R 125.613

Source: 1981 AACS.

R 125.614

Source: 1981 AACS.

R 125.615

Source: 1981 AACS.

# MANUFACTURING SERVICES BUREAU URBAN LAND ASSEMBLY FUND

R 125.651

Source: 1988 AACS.

R 125.652

Source: 1988 AACS.

R 125.653

Source: 1988 AACS.

R 125.654

Source: 1988 AACS.

R 125.655

Source: 1988 AACS.

# BARRIER FREE DESIGN BOARD GENERAL RULES

R 125.1001

Source: 1988 AACS.

R 125.1002

Source: 1988 AACS.

R 125.1003

Source: 1988 AACS.

R 125.1004

Source: 1988 AACS.

R 125.1005

Source: 1988 AACS.

R 125.1006

Source: 1988 AACS.

R 125.1007

Source: 1988 AACS.

R 125.1008

Source: 1988 AACS.

R 125.1009

Source: 1988 AACS.

R 125.1010

Source: 1988 AACS.

R 125.1011

Source: 1988 AACS.

R 125.1012

Source: 1988 AACS.

R 125.1013

Source: 1988 AACS.

R 125.1014

Source: 1988 AACS.

R 125.1015

Source: 1988 AACS.

R 125.1016

Source: 1988 AACS.

R 125.1017

Source: 1988 AACS.

R 125.1018

Source: 1988 AACS.

R 125.1019

Source: 1988 AACS.

R 125.1020

Source: 1988 AACS.

R 125,1021

Source: 1988 AACS.

R 125.1022

Source: 1988 AACS.

R 125.1023

Source: 1988 AACS.

R 125.1024

Source: 1988 AACS.

R 125,1025

Source: 2002 AACS.

R 125.1026

Source: 1988 AACS.

## MOBILE HOME COMMISSION GENERAL RULES

#### PART 1. GENERAL PROVISIONS

#### R 125.1101 Definitions.

Rule 101. (1) As used in these rules:

- (a) "Accessory" means anything which is joined to a home, which renders it more complete, which accompanies it, which is connected to it, or which performs a function incident to the safety or convenience, or both, of the occupant, such as an attached or detached carport or garage, steps, or decks. An accessory shall be constructed pursuant to the standards set forth in the provisions of R 408.30101 et seq. of the Michigan Administrative Code.
- (b) "Act" means 1987 PA 96, MCL 125.2301 et seg. and known as the mobile home commission act.
- (c) "Advertising" means the publication of, or causing to be published, by any means of communication, all material that is prepared for public distribution and consumption, including any sign used by a licensee. A licensee shall use the name under which it's doing business in all advertisements. The term does not include applications for licensing or stockholder communications, such as any of the following:
- (i) Annual reports.
- (ii) Interim financial reports.
- (iii) Proxy materials.
- (iv) Registration statements.
- (v) Securities.
- (vi) Business or financial prospectuses.
- (d) "Certificate of manufactured home ownership" means a document which is issued by the department or its authorized representative and which establishes lawful transfer and ownership of a home.
- (e) "Closing" means the procedure in which final documents are executed.

- (f) "Commission" means the manufactured housing commission.
- (g) "Common sidewalk" means a sidewalk in a community that is intended for the common use of all residents in the community.
- (h) "Community" means both a "mobile home park" as defined in section 2(i) of the act and a "seasonal mobile home park" as defined in section 2(m) of the act.
- (i) "Consumer" means a retail purchaser.
- (j) "Consumer deposit" means all payments of cash or by personal check, money order, certified or cashier's check, credit card or similar instrument, or other collateral or security paid to a retailer prior to closing by the consumer for the right to purchase a home subject to return upon cancellation of the purchase agreement.
- (k) "Department" means the Michigan department of consumer and industry services.
- (1) "Director" means the director of the Michigan department of consumer and industry services.
- (m) "Final documents" include termination statements, or releases of lien, purchase agreements, installment loan contracts, manufacturer's invoices, closing statements, shipping records, delivery receipts, and escrow disbursement documents.
- (n) "Home" has the same meaning as "manufactured home," which has the same meaning as "mobile home" as defined in section 2(g) of the act. A new home is a home for which a certificate of manufactured home ownership should have been issued under section 30 of the act.
- (o) "Homeowner" means the person or persons listed on the certificate of manufactured home ownership and on the security agreement, if one exists, for the home.
- (p) "Home site" means the entire area that is designated to be used for a specific home.
- (q) "Individual sidewalk" means a private sidewalk which extends from the common sidewalk, driveway, or internal road to the home site and which is intended for the use of the home site resident.
- (r) "Installer and servicer" has the same meaning as "installer and repairer" as defined in section 2(e) of the act.
- (s) "Internal road" means a road which is contained within the boundaries of a community and which is under the care, custody, and control of the community.
- (t) "Location" means a staffed sales office that lists or sells, or lists and sells, new or pre-owned homes.
- (u) "Manufactured housing commission" has the same meaning as "commission" as defined in section 2(c) of the act.
- (v) "Operator" means an individual 18 years of age or older who is an officer of a corporation, a manager or member, if member managed, of a limited liability company, a general partner, a copartner, or a sole proprietor.
- (w) "Optional improvement" means an amenity in new community construction or existing licensed community expansion that is not required under the community construction rules contained in these rules.
- (x) "Payments" does not include payments collected by a retailer on behalf of either a lender, in order for financing to be approved, or a state or local governmental agency, in order to apply for permits, and forwarded by the retailer to the lender or governmental agency.
- (y) "Permanent foundation" means a base upon which a home is placed that is not subject to excessive movement caused by changes in weather or home weight distribution.
- (z) "Purchase agreement," for the purpose of records maintained under these rules, means an express written agreement in which a person agrees to buy, and another person agrees to sell, a home and includes specific home identification information, which shall include all of the following information:
- (i) Year of manufacture or year on previous certificate of manufactured home ownership.
- (ii) Serial number if available.
- (iii) Name of manufacturer.
- (iv) Model name or number.
- (v) The agreed to price of the home.
- (vi) Each buyer-selected option and accessory.
- (vii) Other costs to the buyer, such as taxes and certificate of manufactured home ownership fees.
- (aa) "Purchaser" means a retail purchaser.
- (bb) "Retailer" has the same meaning as "mobile home dealer" as defined in section 2(h) of the act. A community that rents or leases homes within the community is not required to be licensed as a retailer, but shall comply with the retailer business practices rules. A lender that only sells homes it has repossessed is not required to be licensed as a retailer.
- (cc) "Seasonal community" has the same meaning as "seasonal mobile home park" as defined in section 2(m) of the act.
- (dd) "Successor" means a person who obtains all of the assets and liabilities of a former owner.
- (ee) "Terminate" means ceasing activities authorized under the terms and powers of a license specified in the act.
- (ff) "Year of manufacture" means the calendar year in which a home is manufactured.
- (2) Terms defined in the act have the same meanings when used in these rules.

History: 1954 ACS 96, Eff. July 12, 1978; 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1979 ACS 12, Eff. Oct. 21, 1982; 1984 MR 3, Eff. Apr. 17, 1984; 1985 MR 6, Eff. July 17, 1985; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

R 125.1103

Source: 1998-2000 AACS.

Rule 125,1105

Source: 1998-2000 AACS.

#### R 125.1106 Commission: conflict of interest.

Rule 106. A commissioner or commission committee member shall not participate in a decision or discussion leading to a decision relating to a business entity in which the commissioner or commission committee member has a financial or personal interest. However, a commissioner or commission committee member may be present in the meeting room during the discussion and decision.

History: 2003 MR 14, Eff. Aug. 1, 2003.

R 125.1110

Source: 1998-2000 AACS.

R 125.1115

Source: 1998-2000 AACS.

#### R 125.1120 Proposed higher standard; filing; approval and disapproval; adoption by ordinance.

Rule 120. (1) Under section 7(1) of the act, local governments proposing a higher standard than specified in these rules shall, after public hearing, file the proposed standard with the department for the commission's review and approval.

- (2) The filing shall be in letter form and shall contain, but not be limited to, all of the following information:
- (a) The current specific standard for which a higher standard is being proposed.
- (b) The proposed higher standard.
- (c) A statement or statements setting forth the reasons for a standard that is higher than the existing standard.
- (d) A statement or statements that the proposed higher standard is not designed to generally exclude homes or persons who engage in any aspect pertaining to the business of homes.
- (e) A statement or statements comparing the proposed higher standard with the standard applicable to other types of housing. The standard applicable to other types of housing shall be submitted with the statement or statements.
- (f) Any other information and data that provides justification for the proposed higher standard.
- (3) The commission shall approve or disapprove the proposed higher standard within 60 days after the standard is filed with the commission and shall notify the local government, in writing, of its decision. If the commission denies the request, then the local government is entitled to a hearing before the commission or its designated representative under sections 71 to 87 of 1969 PA 306, MCL 24.271 et seq.
- (4) If the commission does not approve or disapprove the proposed higher standard within 60 days after the standard is filed with the commission at the department, then the standard shall be considered approved unless the local government has granted the commission additional time to consider the proposal.
- (5) After receipt of approval, or if the 60 days or extended time limit has lapsed, the local government may adopt the standard by ordinance

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1125 Proposed higher standard; intent to deny; order.

Rule 125. (1) The commission may deny a proposed higher standard by local government under the provisions of section 7(1) of the act. The department shall notify the local government by certified mail or personal delivery of the preliminary order of intent to deny. The preliminary order of intent to deny constitutes notification within the 60-day time limit, and extension if any, under the act.

(2) The preliminary order of intent to deny shall automatically be final 15 days after the date of receipt of the order by a local government, unless the local government requests, in writing, a hearing before the commission or its designated representative under the provisions of section 71 of 1969 PA 306, MCL 24.271 et seq.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1130 Aggrieved persons; hearing.

Rule 130. A person who is aggrieved by a decision of a local government shall be given an opportunity for a hearing under section 4(1)(c) of the act, provided that a written request is received by the department not more than 60 days from the date a decision is rendered by the local government.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1985 MR 6, Eff. July 17, 1985; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

R 125.1135

Source: 1998-2000 AACS.

R 125.1140

Source: 1998-2000 AACS.

R 125.1145

Source: 1998-2000 AACS.

R 125.1150

Source: 1998-2000 AACS.

R 125.1155

Source: 1998-2000 AACS.

R 125.1160

**Source:** 1998-2000 AACS.

R 125.1165

Source: 1998-2000 AACS.

R 125.1170

Source: 1998-2000 AACS.

R 125.1175

Source: 2002 AACS.

#### R 125.1185 Home Construction Standards.

Rule 185. (1) All new homes sold within Michigan shall be in compliance with the construction standards promulgated by the United States department of housing and urban development, 24 C.F.R. part 1700 et seq. and parts 3280 and 3282, under the national manufactured housing construction and safety standards act of 1974, as amended, 42 U.S.C. §601 et seq. The standards are adopted by reference in these rules. Copies of the adopted standards may be obtained from the Superintendent of Documents, United States Government Printing Office, Washington, D.C., 20204, at no cost. Copies may also be obtained from, or are available for inspection at, the Department of Consumer and Industry Services, Bureau of Construction Codes, 2501 Woodlake Circle, Okemos, Michigan 48864, at no cost.

- (2) All new or pre-owned United States department of housing and urban development-approved homes brought into or sold within the state of Michigan shall be in compliance with the requirements for the appropriate roof load. All homes sited on July 16, 1998, may be sold on the home site.
- (3) The dividing line between the south roof load zone (20 pounds per square foot) and the middle roof load zone (30 pounds per square foot) shall be the centerline of highway M-55 west from Tawas City to the intersection of highway M-115 and then northwest along the centerline of M-115 to Frankfort. The beginning and end of the dividing line shall be at waters' edge.

History: 1979 ACS 13, Eff. Dec. 18, 1982; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

R 125,1190

**Source:** 1998-2000 AACS.

R 125.1191

Source: 1998-2000 AACS.

#### R 125.1192 Posting of complaint notice.

Rule 192. A licensee shall post, in a conspicuous place, the following statement for resolving complaints:

"Under the Mobile Home Commission Act you have the right to file a complaint that pertains to violations of that act or rules published under the act. Before a complaint can be filed under the act or rules, you must notify the manufactured home manufacturer, community, retailer, or installer and servicer in writing that a problem exists. If a reasonable response is not received within 10 business days of receipt of your complaint, you may file a complaint with the Michigan Department of Consumer and Industry Services, Bureau of Construction Codes, Office of Local Government and Consumer Services, P.O. Box 30222, Lansing, Michigan 48909. Please note that only complaints about violations of the mobile home commission act or rules can be accepted by the Department. Examples of complaints may regard any of the following:

- 1. Purchase of manufactured homes, goods, or services and applicable warranties.
- 2. Lease or rental agreements.
- 3. Manufactured home communities.
- 4. Metering of utilities.
- 5. Manufactured home installation and service.

Complaints pertaining to manufactured home community rent costs do not fall under the authority of the act."

History: 1979 ACS 2, Eff. May 2, 1980; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1192a Complaint Process

Rule 192a. (1) The complainant shall send an alleged complaint to the respondent in writing of the alleged violation, giving the respondent 10 business days to respond.

- (2) A person may file a complaint with the department, on a form prescribed by the department, pertaining to a violation of the act and rules.
- (3) The department shall send the complaint to the respondent if the department determines there is a potential violation of the act or rules.
- (4) The respondent shall respond to the complaint in writing to the department within 10 business days after receipt from the department or attempted delivery of the complaint.
- (5) If the respondent does not respond to the complaint in writing within 10 business days after receipt, the department shall send the complaint to the alleged respondent a second time.
- (6) The respondent shall respond to the complaint in writing to the department within 5 business days after receipt from the department under subrule (5) of this rule.
- (7) If the respondent does not respond to the complaint under subrule (6) of this rule, then the department shall send an order to answer via certified mail to the respondent directing a response.
- (8) Under subrule (7) of this rule, the respondent shall respond to the order to answer within 10 business days after receipt from the department or attempted delivery of the complaint.
- (9) If the respondent does not respond to the order to answer under subrule (8) of this rule, then the department shall initiate administrative action against the respondent.
- (10) If the respondent responds to the complaint or order to answer, the department shall send the response to the complainant.
- (11) The complainant shall respond to the response in writing to the department within 10 business days after receipt.
- (12) If the complainant does not respond to the response within 10 business days after its receipt, or notifies the department in writing that the response is satisfactory, then the department shall close the complaint file.
- (13) If the complainant notifies the department in writing that the response is not satisfactory, then the department shall determine whether the respondent has violated the act or these rules.
- (14) If the department determines that the respondent has not violated the act or rules, then the department shall notify the complainant and the respondent in writing and shall close the complaint file.
- (15) If the department determines that the respondent has violated the act or rules, then the department shall notify the complainant and the respondent in writing of the required remedial action and the deadline by which the remedial action shall be completed.
- (16) When the remedial action is complete, the respondent shall notify the department in writing and provide documentation that the remedial action is complete.
- (17) If the department is satisfied that the remedial action is complete, then the department shall notify the respondent and complainant of this determination and then shall close the file.

History: 2003 MR 14, Eff. Aug. 1, 2003.

R 125.1193

Source: 1998-2000 AACS.

R 125.1194

Source: 1998-2000 AACS.

R 125.1195

Source: 1998-2000 AACS.

R 125.1197

Source: 1998-2000 AACS.

R 125.1200

Source: 1998-2000 AACS.

R 125.1200a

Source: 1998-2000 AACS.

R 125.1200b

Source: 1998-2000 AACS.

R 125.1200c

Source: 1998-2000 AACS.

#### PART 2. DEALERS

#### R 125.1201 Rescinded.

History: 1954 ACS 96, Eff. July 12, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; rescinded 2003 MR 14, Eff. Aug. 1, 2003

R 125.1202

Source: 1998-2000 AACS.

#### R 125.1202a Rescinded.

History: 1998 MR 7, Eff. July 16, 1998; rescinded 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1202b Disclosure.

Rule 202b. Under section 38 of the act, if filing an application under the act or these rules, all general partners or copartners in a partnership; officers of a corporation; managers or members, if member managed of a limited liability company; or sole proprietors shall provide all of the following information:

- (a) A conviction or administrative or civil judgment rendered against them within 10 years before the date of the application in connection with any aspect of the business of homes, which includes, but is not limited to, sales, brokering, installation, servicing, financing, and insuring homes or any aspect of community ownership, management, operation, development, or construction.
- (b) A conviction or administrative or civil judgment rendered against them within 10 years before the date of application in connection with a violation of a statute regulating the offering of securities or franchises or regulating builders, real estate brokers, or real estate agents or a violation of 1972 PA 286, MCL 565.801 et seq.
- (c) Information necessary to conduct a criminal record check on a form provided by the department.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1202c Operator.

Rule 202c. On the application for licensure, a person shall identify an operator, who shall sign the application and be directly responsible for the operation of the licensee.

History: 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1203 Rescinded.

History: 1954 ACS 96, Eff. July 12, 1978; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; rescinded 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1204 Applications; changes.

Rule 204. An applicant shall file a change to a licensing application with the department within 30 days after the change is made

History: 1954 ACS 96, Eff. July 12, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1204a

Source: 1998-2000 AACS.

R 125.1205

Source: 1998-2000 AACS.

R 125,1206

Source: 1997 AACS.

R 125.1207

Source: 1985 AACS.

R 125,1207

Source: 1998-2000 AACS.

R 125.1207a

Source: 1998-2000 AACS.

R 125,1208

Source: 1998-2000 AACS.

#### R 125.1209 License issuance licensee's true and assumed names required to appear on license; duplicate license.

Rule 209. A license may be issued to a person who meets the requirements of the act and these rules. The licensee's true name and assumed name shall appear on the license.

History: 1954 ACS 96, Eff. July 12, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1210 Rescinded.

History: 1954 ACS 96, Eff. July 12, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; rescinded 2003 MR 14, Eff. Aug. 1, 2003.

#### **R 125.1211 Rescinded.**

History: 1954 ACS 96, Eff. July 12, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; rescinded 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1211a Use of similar names on license prohibited; exception.

Rule 211a. A new licensee may not conduct business under a name which is so similar to the name under which an existing licensee is conducting business that it would be confusing to the public. This rule does not apply to an existing licensee that receives a new license of the same type or adds another location to its license.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1211b

Source: 1998-2000 AACS.

#### R 125.1212 License; request for renewal; fee.

Rule 212. An application for license renewal shall be on a form provided by the department and shall be accompanied by the fee prescribed by section 21 of the act.

History: 1954 ACS 96, Eff. July 12, 1978; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1213

Source: 1998-2000 AACS.

#### R 125.1213a License; failure to renew; expiration.

Rule 213a (1) If a licensee fails to file a license renewal application with the department before October 1, then the license held shall expire in compliance with sections 16 and 21 of the act.

(2) A license that is issued under the act shall expire annually on October 1.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125,1214

Source: 1998-2000 AACS.

#### R 125.1214a

Source: 1998-2000 AACS.

#### R 125,1214b

Source: 1998-2000 AACS.

#### R 125.1214c Return of suspended or revoked license.

Rule 214c. The holder of a license or licenses issued under the act shall return the license or licenses to the department within 5 days of notification of suspension or revocation. Return shall be made either personally, for which receipt shall be obtained, or by certified mail.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1214d Local government; licensing.

Rule 214d. A local government shall not require a person licensed under the act to obtain a local license or to register its license unless the requirement is established by ordinance and the ordinance is approved by the commission under the provisions of section 7 of the act.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1214e Original license required to engage in retail sale of homes.

Rule 214e. An applicant shall submit a completed licensing application to the department on a form prescribed by the department before the date on which the applicant intends to be a retailer.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1214f Surety bonds; cancellation.

Rule 214f. (1) A surety bond of \$10,000.00 or a deposit of \$10,000.00 in cash or securities, made payable to the "State of Michigan," on a form prescribed by the department, is required for each location.

(2) If a surety bond is not in effect, then the retailer shall stop all sales activity.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1214g Retailer's license; license amendments; application for amendments.

Rule 214g. (1) An applicant shall obtain a license for each location from which the applicant proposes to operate by filing the completed application form prescribed by the department.

(2) Separate applications shall be filed for each sales location.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1214h Temporary retailer location.

Rule 214h. (1) A retailer shall notify the department in writing of a temporary sales location such as a shopping center, public show, or other similar limited-term general public eventfor home exhibition and sales.

- (2) The exhibition and sales shall not exceed 20 calendar days at any one time and shall not exceed a total of 60 calendar days within a 12-month period.
- (3) The notice shall include the name of the event, address, and inclusive dates for the exhibition and sales.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1214i Installer and servicer; licensing required.

Rule 214i. (1) An applicant shall submit a completed licensing application to the department on a form prescribed by the department before the date on which the applicant intends to be an installer and servicer.

- (2) A person who, for compensation installs or disassembles the installation of homes, including their nonpermanently affixed steps, skirting, and anchoring systems, or who services homes, for which service another Michigan license is not required, shall be licensed as an installer and servicer.
- (3) Before applying for an original or renewal installer and servicer license, the operator shall complete a department-approved installation instruction program within the current licensing year.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1214j Rescinded.

History: 1998 MR 7, Eff. July 16, 1998; rescinded 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1214k Community license application.

Rule 214k. (1) If a licensing application is for a new community or an expansion to an existing community, then the applicant shall submit a completed application to the department on a form prescribed by the department.

- (2) If a licensing application is for a community that is or was licensed to another person, then the applicant shall submit a completed application to the department on a form prescribed by the department not more than 30 days after the date the community is conveyed by deed or land contract.
- (3) After conveyance, the applicant is responsible for operation of the community.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

### R 125.1214l License; issuance upon receipt of department of environmental quality certification of compliance; conditional license; "conditional license" defined.

Rule 214l. (1) Before licensing, a community shall obtain certification from the department of environmental quality that the community is licensable.

(2) If the department of environmental quality issues a conditional certification of compliance to the department, then the department shall issue a conditional license. All conditions in the conditional certification of compliance shall be filed with the department. Even though the department of environmental quality has issued an unconditional certificate, the department may issue a conditional license if other sections of the act and these rules are not met by the licensee or applicant. As used in this subrule, "conditional license" means a license which is limited by time or terms, or both, and which may be extended by the department within the license year without payment of additional fees.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1214m Rescinded.

History: 1998 MR 7, Eff. July 16, 1998; rescinded 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1214n New community and additional home sites license; application; issuance; conditions.

Rule 214n. (1) Except as provided in subrule (2) of this rule, before the department issues an initial license for a new community or adds additional home sites to the community's existing license, all of the following shall be certified to be complete under the provisions of section 14 of the act:

- (a) Internal roads servicing the completed home sites. The owner may construct the final lift of the road in the next construction season if a bond covering the cost of constructing the final lift is delivered to the department before licensure. The bond shall be made payable to the "State of Michigan".
- (b) Home site individual sidewalk.
- (c) Common sidewalks, if provided, servicing the completed home sites.
- (d) Parking servicing the home site.
- (e) Patios, if provided.
- (f) Permanent foundations.
- (g) Internal road lighting servicing the completed home sites.
- (h) At a minimum, the stabilization of the soil on the completed home sites to prevent, as much as possible, erosion and soil runoff.
- (2) Upon approval by the department, all of the following may be constructed after licensing of a home site for the purpose of customizing the home site to a specific home:
- (a) The home site individual sidewalk.
- (b) Parking on the home site.
- (c) Patio, if provided.

- (d) Light fixture, if on the home site.
- (e) Permanent foundation.
- (3) The applicant shall file all of the following documents with the license application for a new community or additional home sites:
- (a) An affidavit signed by the community owner or operator and an engineer or architect stating that the construction was completed according to the approved plans and specifications under the provisions of section 14 of the act. If the community owner or operator elects to complete the home site under the provisions of subrule (2) of this rule, then the affidavit shall specifically state that the home site construction shall be completed before the home is occupied and shall be completed according to the approved plans and specifications. The affidavit shall cite the specific home sites to be licensed by home site number.
- (b) Certification of the community sewer system by home site number under the provisions of R 325.3391.
- (c) Certification of the community-owned electrical system by home site number under the provisions of R 325.3391.
- (4) Before the department may issue a license, the department shall receive certification of the home sites by the Michigan department of environmental quality under the provisions of section 16(3) of the act.
- (5) It is a violation of this rule and section 16 of the act if any home that is placed on a home site is occupied by residents before the home site is licensed. In a licensed community, each home site that has a home occupied by residents shall be licensed whether or not it is being offered to the public.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

R 125.1215

Source: 1997 AACS.

R 125.1216

Source: 1998-2000 AACS.

R 125.1217

Source: 1998-2000 AACS.

R 125.1218

**Source:** 1998-2000 AACS.

R 125.1218a

Source: 1998-2000 AACS.

R 125.1219

**Source:** 1998-2000 AACS.

R 125.1220

Source: 1998-2000 AACS.

R 125.1221

Source: 1998-2000 AACS.

R 125.1222

Source: 1998-2000 AACS.

R 125.1223

Source: 1998-2000 AACS.

R 125.1224

Source: 1998-2000 AACS.

R 125.1224a

**Source:** 1998-2000 AACS.

R 125.1224b

**Source:** 1998-2000 AACS.

R 125.1225

Source: 1998-2000 AACS.

R 125.1225a

Source: 1998-2000 AACS.

R 125.1226

Source: 1998-2000 AACS.

R 125.1227

**Source:** 1998-2000 AACS.

R 125.1227a

Source: 1998-2000 AACS.

R 125.1228

**Source:** 1998-2000 AACS.

R 125.1229

Source: 1998-2000 AACS.

R 125.1230

Source: 1998-2000 AACS.

R 125.1231

Source: 1998-2000 AACS.

R 125.1232

Source: 1998-2000 AACS.

#### PART 3. FEES

#### R 125.1302 Certificate of manufactured home ownership; application; fees.

Rule 302. (1) An application for a certificate of manufactured home ownership and the appropriate fee shall be filed on a form prescribed by the department with the department or its authorized representative within 30 days after the closing of the sale transaction. In addition, a late fee of \$15.00 shall be charged if the application is filed after the 30-day limit. The payment of a late fee does not preclude administrative action being taken against the purchaser or the purchaser's authorized representative.

History: 1979 ACS 2, Eff. May 2, 1980; 1990 MR 1, Eff. Feb. 2, 1990; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1303 Certificate of title; cancellation; fees.

Rule 303 An affidavit required under section 30i of the act, executed for the purpose of canceling a certificate of title shall be filed with the department with a fee of \$45.00.

History: 2003 MR 14, Aug. 1, 2003.

R 125.1305

Source: 1998-2000 AACS.

#### R 125.1310 Rescinded.

History: 1954 ACS 98, Eff. Feb. 18, 1979; 1979 AC; 1979 ACS 11, Eff. July 7, 1982; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

R 125.1315

Source: 1998-2000 AACS.

#### R 125.1320 Rescinded.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1998 MR 7, Eff. July 16, 1998; rescinded 2003 MR 14, Eff. Aug. 1, 2003.

#### PART 4. INSTALLER AND REPAIRER LICENSING

#### R 125.1401 Advertising; prohibited activities.

Rule 401. A retailer, in connection with the sale of homes, equipment, or accessories, shall not, directly or indirectly, engage in any of the following activities:

- (a) Advertise a home for sale if the name of the retailer does not appear in the advertisement. A home committed by a home owner to a retailer for sale may be advertised if the offer visibly states that the home is "offered on consignment."
- (b) Advertise a home and falsely offer any year of manufacture, make, type, model, serial number, fixed location, price, equipment, or terms or make a claim or condition to the sale of a home that is not truthful.
- (c) Advertise the phrase "close out," "final clearance," or "going out of business" or similar phrases in connection with home sales unless the phrase is true. A retailer who is going out of business shall comply with the provisions of 1961 PA 39, MCL 442.211 et seq. which includes regulation of the sales activities of businesses that are going out of business.
- (d) Advertise the term "authorized retailer" if the retailer is not a manufacturer's authorized retailer or advertise as a franchised retailer if the retailer is not a registered franchised retailer under 1974 PA 269, MCL 445.1501 et seq.
- (e) Advertise a home by making inaccurate, misleading, or false comparisons with competitors' services, prices, products, quality, or business methods.
- (f) Use a picture or photograph of a home in advertising if the picture or photograph does not represent a home of the same year of manufacture, make, and model and does not contain all the standard equipment of the model that is actually being offered for sale at the price quoted in the advertisement.
- (g) Advertise a home for sale in a manner that conveys or creates an erroneous impression as to which home is being offered at the advertised price.
- (h) Advertise the statement "write your own deal" or "name your own price" or similar statements, unless the statements are true and a buyer can, in fact, negotiate his or her own price.
- (i) Advertise the phrase "at cost," "below cost," "below wholesale," "below invoice," "above cost," "above wholesale," or "above invoice" or similar phrases, unless the phrases are true. As used in this subsection, "cost" means the actual price paid by a retailer to a manufacturer for a specific home as that price appears on the retailer invoice received from the manufacturer.
- (j) Advertise a specified trade-in amount or range of amounts for a pre-owned home without offering the advertised trade-in amount or range of amounts regardless of the condition of the pre-owned home when presented to the retailer for trade-in by a prospective customer, unless the statement "subject to condition appraisal" is contained in the advertisement.
- (k) Advertise that "no retailer has lower prices," "the retailer is never undersold," or statements of similar meaning, unless the statements are true.
- (1) Advertise in a manner that is false or misleading as to what a new home guarantee, warranty, or protection includes.
- (m) Advertise the phrase "manufacturer's warranty," unless referring to a new home covered by a bona fide written manufacturer's warranty.
- (n) Advertise equipment, accessories, or other merchandise as "free" if the cost, or any part of the cost, is included in the quoted price of the home.
- (o) Advertise the phrase "no credit rejected" or "we finance everyone" or similar phrases, unless the phrases are true.
- (p) Advertise the offering of a rebate or referral bonus unless true.
- (q) Advertise a home as new, unless it has never been occupied. A home which is not of a current year of manufacture, but which has never been occupied, may be advertised as new if the year of manufacture is stated in the advertisement.
- (r) Advertise, or infer by advertising, that a home is "repossessed," unless it is true.
- (s) Advertise in any manner which infers that a purchaser will be receiving benefits of an existing loan on a home if the benefits do not exist.
- (t) Advertise pre-owned homes as carrying an unused portion of the original manufacturer's warranty, unless this is true.
- (u) Advertise the terms of financing a home, unless the advertisement is in compliance with all of the requirements of the federal truth in lending act, 15 U.S.C. §601 et seq., and the accompanying regulation Z, 12 C.F.R. part 226 et seq.
- (v) Advertise under any other name than that which appears on the retailer license.
- (w) Advertise for the buying of a home without the telephone number and the name of the retailer.
- History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

R 125.1402 Accounts and records; record of homes bought, sold, or exchanged; content; application for certificate of

### manufactured home ownership; purchase agreement; retention of additional records; consumer deposit records; accounts and records inspection; bond, cash, or security deposit records.

Rule 402. (1) In addition to accounts and records that are required by local ordinances, by other laws, or as prescribed elsewhere in these rules, a retailer shall maintain a record of all homes bought, sold, or exchanged for 4 years. The record shall include all of the following entries:

- (a) The date each home is taken into inventory.
- (b) The name and address of the person from whom the home was obtained.
- (c) The purchase or stock number of the home.
- (d) The identification number of the home.
- (e) The manufacturer's trade name.
- (f) The year of manufacture and model name or number of the home.
- (g) The dates bought, sold, and exchanged.
- (h) The name and address of the purchaser.
- (2) If a retailer is selling or brokering the home, except to another retailer that will be holding the home for resale, the retailer or its authorized representative shall prepare and file an application for a certificate of manufactured home ownership, which shall include any lien held against the home. If a retailer is selling or brokering the sale of a home that it was holding for resale, except to another retailer that will be holding the home for resale, it shall also file the application for a certificate of manufactured home ownership. The application shall be on a form prescribed by the department.
- (3) All sales of a home shall be executed by purchase agreement.
- (4) A retailer shall retain all of the following documents for 4 years:
- (a) A copy of the manufacturer's invoice for each new home.
- (b) A copy of each purchase agreement, as defined in these rules, with any attachments needed to complete the purchase agreement for each home bought, sold, and exchanged.
- (c) The retailer's copy of the validated application for a certificate of manufactured home ownership.
- (d) Service records for each home sold. If the home is pre-owned, all records that the retailer may have knowledge of shall be retained.
- (e) A list of all options purchased with a specific home, unless otherwise contained in the purchase agreement.
- (f) A copy of the retail installment sales agreement for all retailer-arranged financing.
- (5) A retailer that maintains an escrow account shall maintain a separate record of consumer deposits at its principal place of business for 4 years. The records shall consist of all of the following:
- (a) A record that shows the chronological sequence in which consumer deposits are received and disbursed.
- (b) For consumer deposits received, the record shall include all of the following information:
- (i) The date of receipt.
- (ii) The name of the individual who is giving the consumer deposit.
- (iii) The name of the individual receiving the consumer deposit.
- (iv) The amount.
- (c) If the consumer deposit is in the form of collateral or security other than cash or a cash negotiable instrument, then the record shall specifically identify the collateral or security, and the cash value shall be the same as contained in the purchase agreement.
- (d) For disbursements, the record shall include all of the following information:
- (i) The date.
- (ii) The payee.
- (iii) The check number.
- (iv) The amount.
- (e) A running balance shall be shown after each entry of receipt and disbursement.
- (6) A retailer who maintains a bond, cash, or security deposits in place of an escrow account shall maintain a record for 4 years consisting of the following:
- (a) For consumer deposits received, the record shall include all of the following information:
- (i) The date of receipt.
- (ii) The name of the individual who is giving the consumer deposit.
- (iii) The name of the individual receiving the consumer deposit.
- (iv) The amount.
- (b) If the consumer deposit is collateral or security other than cash or a cash negotiable instrument, then the record shall specifically identify the collateral or security, and the cash value shall be the same as contained in the purchase agreement.
- (c) For disbursements, the record shall include all of the following information:
- (i) The date.

- (ii) The payee.
- (iii) The check number.
- (iv) The amount.
- (7) The retail installment contract shall disclose all arrangements made between the retailer and the consumer regarding the consumer deposit, such as any of the following:
- (a) Trade-ins.
- (b) Rebates.
- (c) Promissory notes.
- (d) Cash.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

# R 125.1403 Consumer deposits; providing consumer with executed purchase agreement; recording amount of consumer deposit; refunds; notice to consumer of intent to cancel purchase agreement; accepting deposits and agreements in name of retailer; escrow accounts; alternative to escrow account; notice of refund on purchase agreement.

Rule 403. (1) Before receiving a consumer deposit, a retailer shall give the consumer an executed purchase agreement.

- (2) Unless the retailer has a consumer deposit bond or cash or security deposits under subrule (9) of this rule, a consumer deposit shall be placed in an escrow account and remain there until the closing. After the closing, the retailer may transfer the deposit to a general account.
- (3) A retailer shall record the exact amount of the consumer deposit on each request for financing that is sent to a lending institution.
- (4) A retailer shall refund to a consumer the total amount of a consumer deposit on the purchase of a home not more than 15 banking days after a request for financing has been rejected by the lending institution or if the consumer cancels the purchase agreement before the binding date under subrule (13) of this rule. The consumer shall notify the retailer, in writing, of his or her intent to cancel the purchase agreement. The notification shall be delivered to the retailer by certified mail postmarked before the close of the business day on the binding date to be eligible for return of the consumer deposit. A retailer has no obligation to refund the consumer deposit if the consumer cancels the purchase agreement of a new or pre-owned home after the binding date. As used in this subrule, "binding date" means either 7 days after the date that a purchaser of a home receives a legible copy of the executed purchase agreement or the time at which the purchase agreement is executed if an application for certificate of manufactured home ownership is executed within 7 days.
- (5) An employee who accepts consumer deposits and purchase agreements in the name of a retailer is authorized by the retailer to accept the deposits.
- (6) As a condition of licensing, a retailer shall establish an escrow account, post a consumer deposit bond, or deposit cash or other securities in compliance with the provisions of section 24(c) of the act for the protection of consumer deposits received by the retailer
- (7) If a retailer establishes an escrow account, the retailer shall place all consumer cash deposits or similar negotiable instruments of the consumer's deposit in the escrow account by the end of the second banking day following receipt. Escrow accounts shall be maintained as checking accounts.
- (8) A retailer may maintain an escrow account at each location where it maintains records. A retailer may maintain not more than \$500.00 of its own funds in each deposit escrow account to cover bank service charges and to avoid the account being closed or overdrawn if there are no other funds in the account. The funds shall be accounted for in a bookkeeping system as prescribed in these rules.
- (9) In place of an escrow account, a retailer may maintain, for each location, a consumer deposit bond or cash or security deposits in an amount equal to the highest monthly receipts of consumer cash deposits and cash value of other security recorded over the previous 3 years. If the highest monthly receipts formula is used to determine the amount of the bond or deposit, then the amount of the bond or deposit shall be adjusted to reflect the previous 3 years' experience before a license is renewed. If at any time the consumer deposits received exceed the amount of the bond or deposit established under the formula, then the retailer shall immediately increase the amount of the bond or deposit or escrow the excess amount.
- (10) If a retailer posts a bond or deposits cash or other securities, then the retailer who files an initial application shall maintain the bond, cash, or other securities at a minimum of \$10,000.00 per location until sufficient data is available to comply with the formula. If the retailer has more than 1 location, then the required bonds or deposits may be combined into 1 bond or deposit.
- (11) All bonds shall be made payable to the "State of Michigan" on a form prescribed by the department and shall accompany an application for a retailer's license. All cash or security deposits shall be deposited with the State of Michigan upon application for a retailer's license. If the application is for a renewal license only, and if a copy of the bond is on file and

the bond is continuous or if the cash or securities are on deposit, then this subrule shall not apply.

- (12) If a retailer establishes an escrow account, then the retailer shall file, with the department, on a form prescribed by the department, an affidavit attesting to the fact that account has been established. The affidavit shall be filed as an enclosure to the retailer license application.
- (13) The front of each purchase agreement shall contain the following statement in not less than 8-point, boldfaced, all caps type:
- "Seven days after the purchaser receives a legible copy of the executed purchase agreement, or if any time within the 7 days an application for a certificate of manufactured home ownership is fully executed, the sale is final and the retailer is not obligated to refund the consumer deposit if the purchaser subsequently cancels the agreement. If the purchaser elects to cancel the purchase agreement within the 7 day limit and an application for a certificate of manufactured home ownership has not been fully executed, the purchaser shall notify the retailer in writing by certified mail postmarked before the end of the seventh day to be eligible for full refund of the consumer deposit."

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1404 Prohibited business practices.

Rule 404. (1) In addition to other laws and rules promulgated for the purpose of regulating business practices, a retailer shall not engage in any of the following practices:

- (a) Without the express written consent of the purchaser, alter or substitute a home purchased from inventory for which a purchase agreement has been executed by all parties to the transaction. The purchaser's consent shall become an attachment to the purchase agreement.
- (b) Without the express written consent of the purchaser, alter, substitute, or remove a part, option, accessory, or item of standard equipment of a home purchased from inventory for which a purchase agreement has been executed by all parties to the transaction. The purchaser's consent shall become an attachment to the purchase agreement.
- (c) Without the express written consent of the purchaser, alter, or substitute a part or entry of, a purchase or financing agreement after the agreement has been executed by all parties to the transaction. The purchaser's consent shall become an attachment to the purchase or financing agreement.
- (2) A retailer shall comply with the provisions of 1976 PA 331 MCL 445.901 et seq.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

### R 125.1405 Retail installment sales agreements; retailer-obtained financing or insurance; payment of floor plan lender; pay off of loan.

Rule 405. (1) A retail installment sales agreement utilized by a retailer shall conform to the federal consumer credit protection act, Public Law 90-321, 15 U.S.C. §1601 et seq., and to 1966 PA 224, MCL 445.851 et seq.

- (2) A retailer shall not require retailer-obtained financing or insurance of a home as a condition of sale.
- (3) A retailer shall pay its floor plan lender for a home within 15 days after the retailer receives payment for the home from a purchaser or a purchaser's lender.
- (4) A retailer shall pay off a loan on a home within 15 days after taking the home in trade or receiving payment for the home unless the requirement is waived by the homeowner, borrower, and the lender holding the loan on the home.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1406

Source: 1997 AACS.

#### R 125.1407 Retailer termination.

Rule 407. (1) Immediately upon determining to terminate, a retailer shall do all of the following:

- (a) By certified mail, notify the department of its proposed termination:
- (b) By certified mail, notify each purchaser of a new or pre-owned home who within 1 year before the proposed termination date, purchased a home from the retailer that the retailer shall be terminated. The notification shall clearly state the responsibilities for future service and repair under guarantees and warranties, financial claims, and all other retailer claims and obligations previously issued under the purchase agreement.
- (2) A terminated retailer shall retain all accounts and records prescribed by these rules for 4 years after the date of retailer termination.
- (3) If required, a retailer who terminates shall surrender all accounts and records to the department.
- (4) The person from whom records are requested shall provide the records to the department not later than 15 days after the date the person receives written notice of the request, unless advised otherwise by the department.

(5) A retailer that is terminating shall post a sign which states that the retailer is terminating. History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1408 Warranties and service.

Rule 408. (1) A manufacturer shall warrant that a new home is free from failures to conform, as defined in Part 3282 – manufactured home procedural and enforcement regulations promulgated under the national manufactured housing construction and safety standards act of 1974, and was delivered to the retailer in that condition. The standard is adopted by reference in these rules and is available for inspection at the Michigan Department of Consumer and Industry Services, Bureau of Construction Codes, 2501 Woodlake Circle, Okemos, Michigan 48864, or from the Superintendent of Documents. P.O. Box 371954, Pittsburgh, PA 15250-7954, at a cost as of the time of adoption of these amendatory rules of \$29.00.

- (2) A retailer shall warrant that a new home is free from failures to conform, as defined in Part 3282 manufactured home procedural and enforcement regulations promulgated under the national manufactured housing construction and safety standards act of 1974, as referenced in subrule (1) of this rule, which occurred after the manufacturer delivered the home to the retailer but before home installation begins.
- (3) A manufacturer and retailer shall warrant that they shall take appropriate corrective action at the site of the home for breach of their respective warranty obligations that become evident within 1 year from the later of the date of the completed installation or purchase of the home. However, the purchaser must give written notice to the manufacturer or retailer not later than 1 year and 10 days after the date of completed installation or purchase.
- (4) The warranty shall include the appliances situated in the home, unless the appliances are covered by a warranty from the appliance manufacturer that equals or exceeds the warranty provided in subrules (1), (2), and (3) of this rule.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1409 Retailer acting as broker; responsibilities.

Rule 409. (1) A retailer acting as a broker who obtains a home listing shall give a true copy of the listing agreement to the listing homeowner. A listing agreement shall be completed by the retailer acting as a broker before it is signed by the listing homeowner.

- (2) A listing agreement shall set forth an expiration date. A listing agreement shall not contain a provision requiring the listing homeowner to notify the retailer acting as a broker of the listing homeowner's intention to cancel the listing on or after the expiration date.
- (3) A retailer acting as a broker shall deliver to an offeror a signed copy of the offer to purchase immediately after it is signed by the offeror. Upon receipt of the written offer to purchase, a retailer acting as a broker shall promptly deliver the written offer to purchase to the seller. Upon obtaining a proper acceptance of the offer to purchase that is signed by the seller, the retailer acting as a broker shall promptly deliver true copies of the acceptance to the purchaser and the seller. A retailer acting as a broker shall certify, in writing, that all conditions of the home transaction are included in the offer to purchase.
- (4) A retailer acting as a broker who is involved in the consummation of a home transaction shall furnish the buyer and seller with a complete and detailed closing statement which is signed by the retailer acting as a broker and which shows all receipts and disbursements of the transaction.
- (5) A retailer acting as a broker shall not close a home transaction contrary to the terms or conditions of the offer to purchase, unless the written amendments are approved and signed by the purchaser and the seller.
- (6) A person seeking an exclusion to the definition and rules of a retailer shall show proof of the exclusion.
- (7) In addition to accounts and records prescribed by these rules, a retailer acting as a broker shall retain copies of all of the following for a period of 4 years:
- (a) Listing agreements.
- (b) Offers to purchase.
- (c) Validated receipts for applications for a certificate of manufactured home ownership.
- (d) Closing statements.
- (e) Leasing agreements.
- (f) Consumer deposit accounts and records.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1410 Retailer; place of business.

Rule 410. A retailer shall maintain a physical location in Michigan from which it conducts business. A post office box, secretarial service, telephone answering service, or similar entity does not constitute a physical location.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1411 Retailer or agent; prohibited activities.

Rule 411. (1) A retailer or agent of a retailer shall not do any of the following:

- (a) Aid or abet an unlicensed person to evade the provisions of the act or these rules.
- (b) Knowingly combine or conspire with, or be acting as an agent, partner, or associate for, an unlicensed person.
- (c) Allow one's license to be used by an unlicensed person.
- (d) Be acting as or be an apparent licensed retailer for an undisclosed person or persons who do or will control or direct, or who may have the right to control or direct, directly or indirectly, the business operations or performance, or both, of the licensee.
- (e) Buy or acquire, directly or indirectly, an interest in a home that is listed with the retailer, unless the true position of the retailer or agent is clearly made known in writing, to the listing owner.
- (f) Acquire, directly or indirectly, an option to purchase a particular home, unless the true position of the retailer or agent is clearly known through a written notice to the homeowner of the particular home who requested the services of the retailer or agent to transact the brokering of the particular home.
- (g) When buying or acquiring an interest in a home, directly or indirectly, charge or accept from the seller, directly or indirectly, a commission, fee, or other valuable consideration as a result of the sale of the home in the transaction without receiving the seller's previous written consent to the specified consideration, given after the notice provided in subdivision (f) of this subrule.
- (h) Enter into a net listing agreement with a homeowner or seller in which the retailer receives, as its payment, all monies in excess of the minimum sales price agreed upon by the retailer and the seller.
- (2) Upon a request by the department, a retailer shall present proof of compliance with this rule.
- (3) A retailer shall not purchase or otherwise acquire a home from a person unless the certificate of manufactured home ownership for the home is conveyed to the retailer by the current homeowner or homeowners, their legal heirs, or their designated agent.
- (4) A retailer shall not enter into a listing agreement with any person other than the person or persons indicated on the certificate of manufactured home ownership, their legal heirs, or their designated agent.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1412

Source: 1997 AACS.

#### R 125.1413 "Other transfer" explained.

Rule 413. "Other transfer," as used in section 30c(3)(b) of the act, includes the following transfer: If a homeowner dies owning 1 or more homes that have a total value of not more than \$10,000.00 and does not leave other property that requires the procurement of letters administration or letters testamentary under section 114 of 1978 PA 642, MCL 700.14 then the surviving husband or wife or heir in the order named in section 115 of 1978 PA 642, MCL 700.15 may apply for a certificate of manufactured home ownership. Before applying, the surviving husband or wife or heir shall provide the department proper proof of the death of the homeowner. The surviving husband or wife or heir shall also attach an affidavit to the proof of death that sets forth the fact that the prospective applicant is the surviving husband or wife or heir. Upon proper petition, the department shall furnish the applicant with a certificate of manufactured home ownership.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1414

**Source:** 1998-2000 AACS.

#### R 125.1415 Retailer; disclosures in purchase and listing agreements.

Rule 415. A retailer shall do both of the following:

- (a) Disclose in the listing agreement that the home offered is located on a home site in a community and, if required, that the seller has obtained approval for the sale of the home on the home site in the community. The listing agreement shall also disclose the compensation to be received by the retailer upon closing.
- (b) Disclose in the purchase agreement that the purchaser has obtained approval for his or her tenancy in the community. History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1416 Rescinded.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1417 Retailer; supervision and control.

Rule 417. (1) It shall be a failure upon the part of a retailer to exercise supervision and control of an employee if the retailer has knowledge that a provision of the act or these rules pertaining to regulation of retailers is being violated by an employee and immediate action is not taken to correct the violation so as to insure compliance with the act or these rules.

(2) A retailer shall have the burden of proof to show compliance with this rule.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1418

**Source:** 1998-2000 AACS.

#### R 125.1419 Certificate of origin; addendum to application for certificate of manufactured home ownership.

Rule 419. (1) The certificate of origin shall be attached as an addendum to the application for a certificate of manufactured home ownership when filing for an original certificate of manufactured home ownership.

- (2) For the purpose of complying with subrule (1) of this rule, the certificate of origin shall be immediately surrendered by the lender holding such certificate to the retailer upon request.
- (3) The department may authorize the issuance of a certificate of manufactured home ownership without the manufacturer's certificate of origin if the department is satisfied as to the ownership of a home and is unable to obtain the certificate. History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### PART 5. INSTALLER AND REPAIRER BUSINESS PRACTICES

#### R 125.1501

Source: 1998-2000 AACS.

#### R 125.1501a "Work order" defined.

Rule 501a. As used in this part, "work order" means an express written agreement in which a person agrees to install or service a home and includes the installer and servicer's license number.

History: 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1502

Source: 1998-2000 AACS.

#### R 125.1503 Place of business.

Rule 503. An installer and servicer shall maintain a physical location in Michigan from which it conducts business. A post office box, secretarial service, telephone answering service, or similar entity does not constitute a physical location. History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1503a Warranty.

Rule 503a. (1) An installer and servicer shall warrant that a new home is free from failures to conform, as defined in Part 3282 – manufactured home procedural and enforcement regulations promulgated under the national manufactured housing construction and safety standards act of 1974, which occurred during the installation of the home. This standard is adopted by reference in R 125.1408.

(2) An installer and servicer shall warrant that it shall take appropriate corrective action at the site of the home for breach of its warranty obligations that become evident within 1 year from the later of the date of the completed installation or purchase. However, the purchaser must give written notice to the manufacturer, retailer, or installer and servicer not later than 1 year and 10 days after date of completed installation or purchase.

History: 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1504 Work orders; estimates; warranties; abandonment.

Rule 504. (1) All installation and service of a home shall be executed under a work order. The conditions set forth in a work order may vary according to type of work required and desired specifications, but at a minimum shall include the specific work to be performed and itemized costs based on information available at the time the work order is executed. The work order may be used for separate cost estimates or as a receipt for customer deposits. All conditions of the installation or service shall be included in the work order.

- (2) All estimates for installation and service of a home shall be executed under a work order.
- (3) Changes in a work order shall not be made by an installer and servicer without the express written consent of the

customer.

- (4) If, for any reason, an installer and servicer intends to abandon a work order, the installer and servicer shall notify each customer for which it has outstanding obligations under the conditions of the work order of the exact reason for abandonment. Notice shall be in writing and by certified mail. Abandonment of a work order by an installer and servicer includes, but is not limited to, the following acts or omissions:
- (a) Failure to start and complete work according to the conditions of the work order, unless the express written consent of the customer is given.
- (b) Failure to request, within 7 days after the work order has been executed, the necessary permits to perform the work agreed upon in the work order, unless the express written consent of the customer is given.
- (c) Failure to maintain the schedule of performance agreed upon in the work order without good cause, unless the express written consent of the customer is given.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1505 Retention of documents.

Rule 505. (1) All of the following documents shall be retained by an installer and servicer for 4 years:

- (a) Accounts and records required by local ordinances, other laws, and these rules.
- (b) A copy of each work order with attachments.
- (2) All accounts and records that are required by these rules to be retained shall be available for inspection by an authorized representative of the department during normal business hours.

History: 1954 ACS 96, Eff. July 26, 1978; 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1506

Source: 1998-2000 AACS.

#### R 125.1507 Voluntary termination; retention of accounts and records.

Rule 507. (1) An installer and servicer may terminate after notifying by certified mail both of the following entities of its intent to terminate and the proposed date of termination:

- (a) The department.
- (b) Each customer to which it has outstanding obligations pursuant to the conditions of a work order and warranty.
- (2) A terminated installer and servicer shall retain all accounts and records prescribed by these rules for 4 years after the date of termination.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1508 Unlawful practices.

Rule 508. (1) Without the express written consent of a customer, an installer and servicer shall not install or service a home or a part, option, accessory, or item of standard equipment of a home that, to the best of its knowledge, will result in an alteration or substitution to the manufacturer's installation, construction, and performance standard in effect at the time of manufacture. The customer's consent shall be attached to the work order.

- (2) If a customer desires installation or service that alters or substitutes the manufacturer's standard, then the engaged installer and servicer shall notify the customer by certified mail or personal delivery, that, to the best of its knowledge, the desired installation or service alters or substitutes the manufacturer's standard and that the alteration or substitution may void the manufacturer's warranty.
- (3) An installer and servicer shall not do any of the following:
- (a) Divert money or other security that is received for the prosecution or completion of an installation or service, or both, of a home or a part, option, accessory, or item of equipment of a home under the conditions of the work order.
- (b) Fail to account for or remit money in the installer and servicer's possession that belongs to others.
- (c) Willfully depart from or disregard plans, specifications, or the conditions set forth in the work order without the written consent of the customer.
- (d) Willfully violate or disregard the building laws, codes, and ordinances of the state or a political subdivision of the state, including failing to obtain the permits that are required for the installation or service, or both, of a home.
- (e) Fail to deliver to a customer the customer's signed work order executed upon completion of the installation or service performed under the conditions of the work order.
- (f) Fail to deliver to a customer the entire executed work order, including itemized costs of materials and other charges arising out of, or incidental to, the work order for the installation or service, or both, of a home before the work commences.
- (g) Aid or abet an unlicensed person to evade the provisions of the act or rules promulgated under the act; knowingly

combine or conspire with, or be acting as agent, partner, or associate for, an unlicensed person; allow one's license to be used by an unlicensed person; or be acting as, or be an apparent licensed installer and servicer for, an undisclosed person who does or will control or direct, or who may have the right to control or direct, directly or indirectly, the business operations or performance, or both, of the licensee.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### PART 6. MOBILE HOME INSTALLATION

#### R 125.1601 Definitions.

Rule 601. As used in this part:

- (a) "Anchoring equipment" means straps, cables, turnbuckles, chains, including tension devices, or other securing devices that are used with ties to secure a home to ground anchors.
- (b) "Anchoring system" means a combination of ties, anchoring equipment, and ground anchors that will, when properly installed, resist the movement of an emplaced home caused by wind forces.
- (c) "Cap" means a 2-inch or more solid concrete block, a 2-inch or less solid pressure-treated wood or hardwood block that resists decay, or a 1/4-inch or more solid steel plate that is placed on top of the pier. The dimensions of the cap shall be the same width and length of the pier.
- (d) "Factory installed" means any construction or installation of any integral part of a home at the site of manufacture or at the site of installation and includes any of the following:
- (i) Water supply hookup from the water riser to the water supply inlet.
- (ii) Sewer system hookup from the sewer riser to the drain or drains outlet.
- (iii) Fuel supply systems hookup from the service supply connection to the fuel supply inlet.
- (iv) Electrical supply line from the main service line to the home service entry if the connection is a simple plug-in and does not require direct wiring or exceed a service of 50 amps.
- (e) "Footing" means that part of the foundation system that lies directly on the ground or below the surface of the ground and on which the piers are placed. If a footing is below the surface of the ground, it shall be 16 inches or more in diameter and at least 42 inches below grade. The footing may be less than a 42-inch depth if supported by a soils analysis. A footing shall be constructed in compliance with R 408.30401 et seq. of the Michigan building code.
- (f) "Foundation system" means a combination of footings, piers, caps and shims that will, when properly installed, support a home.
- (g) "Ground anchor" means any device designed to transfer the home anchoring loads to the ground or foundation.
- (h) "Installation" means the process of setting a home, including its non-permanently affixed steps, skirting, and anchoring systems, on a foundation footing. The term includes all of the following:
- (i) Leveling.
- (ii) Stabilizing, if required.
- (iii) Connecting utilities, including water meters, under subdivision (d) of this rule.
- (i) "Pier" means the vertical portion of the home support system between the footing and the home frame, exclusive of caps and shims.
- (j) "Shim" means a tapered wedge of hardwood or other approved material which has a maximum thickness of 1 inch, which is a minimum of 3 inches wide and 6 inches long, and which, when driven in tightly in pairs between the cap and the home frame I-beams, performs as a lending and stabilizing device.
- (k) "Stabilizing system" means a combination of properly installed anchoring and support systems.
- (1) "Tie" means a strap, cable, or a securing device that is used to connect a home to ground anchors.

History: 1954 ACS 96, Eff. July 26, 1978; 1954 ACS 98, Eff. Feb. 28, 1979; 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1602 Installation.

Rule 602. (1) For all new homes brought into or sold in Michigan, the manufacturer shall provide express written instructions for the installation of each home specifying the location and required design load capacity of the piers and the location and the required design load capacity of any other recommended stabilizing systems, if required. All homes shall be installed according to the manufacturer's installation instructions. The person installing a home has the option of installing a plastic vapor barrier on the ground under the home, unless the manufacturer's installation instructions specifically mandate the placement of the vapor barrier. Crossbeaming shall not be allowed under a home installed after July 16, 1998, unless approved by the manufacturer of the home. In the case of a pre-owned home, the approval also may be given by a licensed design professional registered in compliance with the requirements of 1980 PA 299, MCL 339.101 et seq.

- (2) In the absence of the manufacturer's installation instructions, the installation of homes shall be in compliance with specifications prepared by a licensed design professional registered in compliance with the requirements of 1980 PA 299, MCL 339.101 et seq. or, if a licensed design professional is not available, in compliance with all of the following specifications:
- (a) All grass shall be removed and the foundation footing shall be installed on or in stable soil.
- (b) Piers shall be installed directly under each main frame beam, unless crossbeamed after approval from the manufacturer of the home or a licensed design professional registered in compliance with 1980 PA 299, MCL 339.101 et seq.
- (c) Footing and pier spacing shall not exceed the minimum span identified in table A-1 and a positive grade shall be established.

Table A-1

| Soil        |              |              |              |              |              |              |
|-------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Capacity    | 1500 PSF     | 2000 PSF     | 2500 PSF     | 3000 PSF     | 3500 PSF     | 4000 PSF     |
|             |              |              |              |              |              |              |
| Footing     |              |              |              |              |              |              |
| Size (a)(f) | 24"x24"x6"   | 22"x22"x6"   | 20"x20"x6"   | 18"x18"x6"   | 16"x16"x6"   | 16"x16"x6"   |
|             |              |              |              |              |              |              |
| Spacing:    |              |              |              |              |              |              |
|             |              |              |              |              |              |              |
| Main        |              |              |              |              |              |              |
| Beams       | 6' (ii)(iii) | 6' (ii)(iii) | 6' (ii)(iii) | 8' (ii)(iii) | 8' (ii)(iii) | 8' (ii)(iii) |
| Perimeter   | (v)          | (v)          | (v)          | (v)          | (v)          | (v)          |
| Marriage    |              |              |              |              |              |              |
|             | 8' (ii)(iv)  | 8' (ii)(iv)  | 8' (ii)(iv)  | 10' (ii)(iv) | 10' (ii)(iv) | 10' (ii)(iv) |
|             |              |              |              |              |              |              |

- (i) All footings shall extend 42 inches below actual grade. The footing may be less than the 42-inch depth if supported by a soil analysis. A footing shall be installed in compliance with R 408.30401 et seq. of the Michigan building code.
- (ii) Piers shall be located under each main beam and marriage line beam starting within 2 feet from the end of each beam then spaced according to this table.
- (iii) Piers may be offset up to 1 foot to allow for such obstruction as axles (if permanently attached to frame).
- (iv) Additional piers shall be added on each end of every opening in the marriage wall which is 4 foot or larger and shall be considered columns.
- (v) Perimeter piers shall be installed on sidewall openings greater that 4 foot and exterior doors.
- (vi) Footing shape may be other than square. Maintain equal amount of footing area.
- (d) Piers shall be installed under the center beam/marriage line of multisectional homes at all interior openings of more than 4 feet on the marriage wall and at each end of the marriage line.
- (e) The piers nearest each end of the home shall be within 2 feet of either end of the home frame.
- (f) Concrete block piers shall be constructed of at least 8-inch by 8-inch by 16-inch blocks and placed on the foundation footing. The blocks shall be placed with the open cells vertical. A cap shall be placed on top of the pier. A wood plate that has the same dimensions as the pier and cap may be placed on top of the cap for additional leveling. Shims may be fitted and driven tight between the wood plate or cap and the main frame I-beam and shall not take up more than 1 inch of vertical height.
- (g) Pier tiering shall be in compliance with all of the following requirements:
- (i) Piers 30 inches in height or less above a footing may be single-tier construction composed of 8-inch by 8-inch by 16-inch open cell concrete blocks that conform to ASTM standard C 90-99. The standard is adopted by reference in these rules and is available for inspection at the Michigan Department of Consumer and Industry Services, Bureau of Construction Codes, 2501 Woodlake Circle, Okemos, Michigan 48864, or from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959, at a cost as of the time of adoption of these amendatory rules of \$25.00. Blocks shall be capped with 2-inch by 8-inch by 16-inch hardwood or treated wood, with a solid concrete block cap, or with a 1/4-inch solid steel plate. Blocks shall be set with the openings vertical.

- (ii) Piers that are more than 30 inches in height above a footing shall be double-tier construction with blocks interlocked and capped with a 4-inch by 16-inch by 16-inch solid concrete cap.
- (iii) The concrete blocks of double-tier piers that are more than 80 inches in height above a footing shall be filled with concrete and steel reinforcing rods.
- (h) Piers shall be installed perpendicular to the main frame of the home and shall not be offset from the foundation footing.
- (3) Crossover heat ducts shall not lie on the ground. Heat duct strapping shall not restrict the opening.
- (4) A home shall not be placed in a designated floodway, as determined by the Michigan department of environmental quality.
- (5) An anchoring system shall be installed on a home.
- (6) Permits shall be obtained for the construction of footings and accessories and the installation of homes from the enforcing agency charged with the administration and enforcement of the codes pursuant to Section 8a of the Stille-DeRossett-Hale Single State Construction Code Act, 1972 PA 230, MCL 125.1501 et seq.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1979 ACS 12, Eff. Oct. 21, 1982; 1979 ACS 14, Eff. Apr. 5, 1983; 1985 MR 6, Eff. July 17, 1985; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1602a Installation; systems compatibility.

Rule 602a. All components used in the installation of a home, such as foundation footings and piers, shall be uniform in construction.

History: 1979 ACS 2, Eff. May 2, 1980; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1603 Utility hookups.

Rule 603. All utility hookups to a home shall be in compliance with the following minimum standards:

- (a) Water: Each home shall be connected to the service outlet by semirigid tubing, such as copper tubing or approved plastic piping. The minimum size of the threaded inlet connection shall be 3/4 of an inch. An easily accessible, hand-manipulated shutoff valve shall be installed on the water supply inlet to the home. A water supply protection device, such as a heat tape, which is approved to be sold or for use in this state by the state construction code commission and which is designed for use with homes, shall be installed at the time the home is installed on a home site to prevent service lines, valves, and riser pipes from freezing. The water service riser shall be insulated and covered to prevent the loss of heat. If an extension cord is used, it shall be listed by underwriters laboratories or by a similar organization and shall be approved for exterior use. The protection device shall be installed in compliance with the manufacturer's specifications as approved by the state construction code commission. It is the responsibility of the resident to provide protection for the water line from 1 inch beyond the underside of the home to 30 inches below the surface of the ground within the water crock or to the bottom of the crock, whichever is less.
- (b) Home fuel supply systems shall be in compliance with all of the following provisions:
- (i) Furnaces, hot water heaters, appliances, or any item of equipment that uses gas shall be fully compatible with the type of gas used. All fuel-burning appliances, except ranges, ovens, illuminating appliances, clothes dryers, solid fuel-burning fireplaces, and solid fuel-burning fireplace stoves, shall be installed to provide for the complete separation of the combustion system from the interior atmosphere of the home. Combustion air inlets and flue gas outlets shall be listed or certified as components of the appliance. The required separation may be obtained by installing direct vent system (sealed combustion system) appliances or by installing appliances within enclosures so as to separate the appliance combustion system and venting system from the interior atmosphere of the home and ensuring that there is no door, removable access panel, or other opening into the enclosure from the inside of the home and that any opening for ducts, piping, wiring, or similar items is sealed. This paragraph applies to the installation of the systems specified in this paragraph in new and pre-owned homes.
- (ii) An easily accessible, approved, hand-manipulated shutoff valve controlling the flow of gas to the entire gas piping system shall be installed as close as possible to the service meter or supply connection of the liquefied petroleum gas container. Approved piping that has a 1/2-inch or more inside diameter shall be used for any gas line. After the home is connected to the service meter or supply connection, the piping system shall be tested to not less than 10 inches nor more than 14 inches of water column (1/2 psi). An appliance connection shall be tested for leakage with soapy water or bubble solution.
- (iii) A fuel supply system other than gas shall be in compliance with state codes.
- (iv) Fuel supply meters, regulators, shutoff valves, and pedestals shall not be located under a home or within a skirted area.
- (v) Natural gas, liquefied petroleum gas (LPG), and fuel oil piping that connects the home to the service pedestal or tank shall be installed underground if the distance between the pedestal or tank and the home is more than 2 feet.
- (c) Drain: Schedule 40 ABS or PVC plastic pipe that has the same diameter as the drain outlet shall be installed from the home outlet to the home site sewer service riser. The drain line shall be supported at not less than 4-foot intervals. Plumber's strapping shall be used for support where possible. All joints shall be sealed to preclude leaks. There shall be an approved seal at the sewer riser. All drain lines shall have a cleanout installed within 2 feet of each drain outlet.

- (d) If the calculated load is more than 50 amperes or if a permanent electrical supply line is used, then the line shall be connected by a person who is licensed under the provisions of 1956 PA 217, MCL 338,881 et seq.
- (e) Electrical meters and pedestals shall not be located under a home or within a skirted area.
- (f) An electrical supply line shall not be installed so as to lie on the surface of the ground or permit the cord or line to hang over the home. For all homes installed before July 17, 1985, the line shall not be suspended less than 7 feet from the ground above designated pedestrian walkways. For all homes installed on or after July 17, 1985, if the distance between the electrical pedestal and the home is 2 feet or more, then the line shall be placed underground according to state codes.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1979 ACS 12, Eff. Oct. 21, 1982; 1985 MR 6, Eff. July 17, 1985; 1990 MR 1, Eff. Feb. 3, 1990; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1604

Source: 1998-2000 AACS.

#### R 125.1604a Compliance responsibility.

Rule 604a. A community is responsible for ensuring compliance with the spacing requirements in R 125.1941, R 125.1944, and R 125.1947a(3) for the installation of homes within the community.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1604b Rescinded.

History: 1998 MR 7, Eff. July 16, 1998; rescinded 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1605 Anchoring systems.

Rule 605. (1) A home anchoring system that is sold or manufactured or installed within this state shall be in compliance with all of the following provisions:

- (a) Be designed and constructed in compliance with the United States department of housing and urban development standards entitled "Manufactured Home Construction and Safety Standards," which are adopted by reference in these rules. Copies of the standards may be obtained at no cost from the Superintendent of Documents, United States Government Printing Office, Washington, DC 20402, or from the Department of Consumer and Industry Services, Bureau of Construction Codes, P.O. Box 30254, Lansing, Michigan 48909.
- (b) Be installed in compliance with its manufacturer's specifications.
- (c) Be approved to be sold and for use within this state by the state construction code commission.
- (2) An anchoring system that is sold in this state shall be certified, in writing, by its manufacturer as meeting the standards required by these rules.
- (3) An anchoring system manufacturer shall furnish, and ship with each approved anchor system, information pertaining to the type or types of soil the system has been tested and certified to be installed in and instructions as to the method of installation and the periodic maintenance required.
- (4) The model number shall be permanently marked on each anchor system.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1979 ACS 12, Eff. Oct. 21, 1982; 1985 MR 6, Eff. July 17, 1985; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1606 Rescinded.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1998 MR 7, Eff. July 16, 1998; rescinded 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1607 Anchoring systems; changes in design, construction, and materials.

Rule 607. Changes in design, construction, and materials used in an approved home anchoring system shall not be made. If changes are made to an approved home anchoring system by the manufacturer, then the revised anchoring system shall be resubmitted to the state construction code commission for approval.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1608 Rescinded.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; rescinded 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1609

Source: 1997 AACS.

R 125.1610

**Source:** 1998-2000 AACS.

#### PART 7. MOBILE HOME PARK SAFETY RULES

#### R 125.1701 Speed limits; traffic signs; internal road signs.

Rule 701. (1) Speed limits on community internal roads shall be posted at a minimum at all community entrances intersecting public roads within 100 feet of the entrance or before the first intersection, and shall be enforced in compliance with the requirements of 1949 PA 300, MCL 257.1 et seq.

- (2) All internal roads may be clearly marked with appropriate traffic signs, except that all community egress roads shall be clearly marked with a regulation stop sign at the point of intersection with a public road.
- (3) Internal roads shall be named and so identified by signs located at all internal road intersections.
- (4) Signs bearing the words "Children Playing" shall be appropriately located on all internal roads adjacent to recreational and playground areas.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1985 MR 6, Eff. July 17, 1985; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1702 Swimming pools.

Rule 702. Swimming pools shall be in compliance with 1978 PA 368, MCL 333.1101 et seq. and R 325.2111 et seq. of the department of environmental quality rules for public swimming pools.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1702a Fire safety.

Rule 702a. The community management shall notify each resident in writing, upon occupancy, of all of the following:

- (a) The home site shall be kept free of fire hazards, including combustible materials under the home.
- (b) If fire hydrants are available within the community, then vehicular parking on internal roads is prohibited within 15 feet of a hydrant in compliance with the requirements of 1949 PA 300, MCL 257.1 et seq.
- (c) Each home site shall be numbered and clearly marked for positive identification. Each number shall be easily readable from the road servicing the home site.
- (d) 1974 PA 133, MCL 125.771 et seq. which provides for home fire protection, requires that all homes manufactured, sold, or brought into this state shall be equipped with at least 1 fire extinguisher approved by the national fire protection association and 1 smoke detector approved by the state construction code commission. The homeowner of a home brought into this state for use as a dwelling shall have 90 days to comply with this act.

History: 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1703

Source: 1998-2000 AACS.

#### R 125.1704 Emergency telephone numbers.

Rule 704. Immediately upon occupancy, the community shall provide each resident with a list containing, but not limited to, all of the following information:

- (a) The telephone number of the servicing fire fighting agency.
- (b) The telephone number of the servicing law enforcement agency.
- (c) The telephone number of the community office, including any normal business hours and emergency telephone number where a representative of the community can be reached after normal business hours. A representative of the community shall be available to respond to emergencies.

History: 1954 ACS 96, Eff. July 26, 1978; 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1705 Playgrounds and recreational and athletic areas.

Rule 705. (1) Each playground and recreational and athletic area shall be kept free of safety hazards. Playground equipment shall meet the American Society for Testing and Materials (ASTM) specification F1487-01, which is adopted by reference in

these rules and is available for inspection at the Michigan Department of Consumer and Industry Services, Bureau of Construction Codes, 2501 Woodlake Circle, Okemos, Michigan, 48864, or the American Society for Testing and Materials. A copy of this specification may be purchased from the American Society for Testing and Materials, 100 Barr Harbor, West Conshohocken, PA 19428-2959, at a cost as of the time of adoption of these amendatory rules of \$45.00.

- (2) Playground equipment shall be inspected for defects by the community or its authorized representative once each calendar month when the playground equipment is in use. All defective equipment shall be removed, rendered unusable, or repaired immediately.
- (3) A written record of the inspection shall be maintained at the community office. The record shall contain, but is not limited to, the date of inspection for each item of equipment, defects noted, if any, date corrected, and the name of the individual performing the inspection. These records shall be maintained in accordance with R 125.2007.

History: 1954 ACS 96, Eff. July 26, 1978; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1706

Source: 1998-2000 AACS.

#### R 125,1707

Source: 1998-2000 AACS.

#### R 125.1708 Electrical maintenance.

Rule 708. (1) The community shall keep every building or structure or part thereof and any part of the community-owned electrical system in good repair.

- (2) The community shall maintain yard lights that are part of the community lighting system unless otherwise disclosed in the community rules established by each community.
- (3) Any part of the community electrical system that may present a real or potential safety hazard shall be immediately disconnected and repaired in compliance with R 408.30801 et seq. of the Michigan electrical code, or shall be condemned so as to protect against injury or loss of life.
- (4) The homeowner shall ensure that the electrical supply line from the home to the pedestal is kept in good repair and in a serviceable condition. The line shall be approved for home use.
- (5) Upon a determination of an electrical problem, the community shall, if the electrical system is community-owned, disconnect the home from the electrical pedestal on individually metered home sites. If direct billing by the servicing utility company is made, then the utility company shall disconnect the home's electrical service.
- (6) An electrical supply line shall not be installed so as to lie on the surface of the ground or permit the cord or line to hang over the home. For all homes installed before July 17, 1985, the line shall not be suspended less than 7 feet from the ground above designated pedestrian walkways. For all homes installed on or after July 17, 1985, if the distance between the electrical pedestal and the home is 2 feet or more, then the line shall be placed underground according to state codes.

History: 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1985 MR 6, Eff. July 17, 1985; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1709

Source: 1998-2000 AACS.

#### R 125.1710

Source: 1998-2000 AACS.

#### PART 8. MOBILE HOME PARK LICENSING

#### R 125,1801

Source: 1998-2000 AACS.

#### R 125.1802

Source: 1998-2000 AACS.

#### R 125.1803

Source: 1998-2000 AACS.

#### R 125.1804

Source: 1998-2000 AACS.

R 125.1805

Source: 1998-2000 AACS.

R 125.1806

Source: 1997 AACS.

R 125.1807

Source: 1998-2000 AACS.

R 125.1808

**Source:** 1998-2000 AACS.

R 125,1809

Source: 1998-2000 AACS.

R 125.1810

Source: 1998-2000 AACS.

R 125.1811

Source: 1998-2000 AACS.

R 125.1812

Source: 1998-2000 AACS.

R 125.1813

Source: 1998-2000 AACS.

R 125.1814

Source: 1998-2000 AACS.

R 125.1815

Source: 1998-2000 AACS.

R 125.1816

Source: 1998-2000 AACS.

R 125.1817

Source: 1998-2000 AACS.

R 125.1818

Source: 1998-2000 AACS.

#### PART 9. MOBILE HOME PARK CONSTRUCTION

#### R 125.1901 Definitions.

Rule 901. As used in this part:

- (a) "Access point" means the main community ingress and egress road.
- (b) "Alley" means a public or private right-of-way that serves and is dedicated as rear access to a parcel or parcels of land.
- (c) "Ingress and egress road" means the internal road that connects a public road with the remainder of the internal road system of a community.
- (d) "Meter" means a nationally recognized and approved device that measures the quantity of water, electricity, natural gas, liquefied petroleum gas, or fuel oil used.
- (e) "Parking bay" means any area in which more than 2 parking spaces are provided other than on a home site.
- (f) "Plans approval and permit to construct" means a department order upon approval of an application for a plans approval and permit to construct that permits the construction of a community or home condominium, permits a licensed community or existing home condominium to add home sites, or approves the as-built plans of a licensed community for subsequent conversion to a home condominium. The order also permits the construction within the community or condominium of optional improvements, but does not relieve the developer or owner from the responsibility of obtaining the required permits

under other statutes or regulations pertaining to the optional improvement to be constructed. The order does not relieve the developer or owner from obtaining electrical and plumbing permits or, if required, fuel system permits.

(g) "Public thoroughfare" means a public road that provides access to a community.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1985 MR 6, Eff. July 17, 1985; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125,1902

Source: 1997 AACS.

#### R 125.1902a Home condominium; application; conversion of existing community to home condominium.

Rule 902a. (1) An application for the construction of a home condominium project shall be submitted to the department by the developer in compliance with section 127 of 1978 PA 1959, MCL 559.227.

- (2) The application for the construction of a new home condominium or the expansion of an existing home condominium shall be filed under R 125.1909.
- (3) An applicant applying for approval of construction plans and a permit to construct for the conversion of a community to a home condominium with expansion shall file the application according to R 125.1905.
- (4) An existing community that does not meet the standards of construction set forth in this part and R 325.3311 et seq. of the Michigan Administrative Code may be converted to a home condominium if it is brought into compliance with the standards under a plans approval and permit to construct or if a variance is approved by the commission under R 125.1948.

History: 1985 MR 6, Eff. July 17, 1985; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125,1903

Source: 1998-2000 AACS.

#### R 125,1904

Source: 1998-2000 AACS.

#### R 125.1904a Preliminary plan; disapproval.

Rule 904a. (1) A municipality, county road commission, county drain commissioner, or local health department shall not disapprove a preliminary plan, as defined in section 11(1) of the act, based on a local standard that is higher than the standards contained in these rules, unless the higher standards are approved by the commission under the provisions of section 7 of the act and R 125.1120.

(2) If a preliminary plan is disapproved by the agencies listed in subrule (1) of this rule based on a local standard which is higher than the standards contained in these rules and which has not been approved by the commission, then the developer may petition the commission for review of the disapproval under R 125.1130. If the commission finds that the local standards are in conflict with the standards contained in these rules, then the developer may substitute the commission's finding for the disapproval of the agencies listed in subrule (1) of this rule under sections 4(1)(c) and (d), 7, and 11 of the act.

History: 1979 ACS 2, Eff. May 2, 1980; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

### R 125.1905 Plans approval and permit to construct; application for approval; issuance of approval or intent to deny; validity; transferability.

Rule 905. (1) The department shall not issue a plans approval and permit to construct until all of the following are received from the developer and are approved by the department:

- (a) One copy of the community construction plans and specifications under R 125.1906 to R 125.1909.
- (b) The fee specified in R 125.1315.
- (c) On a form prescribed by the department, an application and required exhibits completely and accurately filled out and executed.
- (2) All of the following exhibits shall be submitted with the application:
- (a) Copies of all existing and proposed easements or dedications, if any. If easements or dedications do not exist, then the developer shall submit a statement to that effect with the application.
- (b) A soils analysis, which shall be provided by a professional engineer, shall state that the soils are sufficiently stable so as to support the home and the permanent foundation.
- (c) Evidence of title to the property, such as title insurance, a deed, a land contract, an owner's affidavit, or, if the property is not owned by the developer, the owner's affidavit attesting to ownership and the granting of permission to develop the community project. If the developer has an option to purchase the property or is leasing the property, then the developer shall

submit a copy of the purchase option or leasing agreement.

- (3) Before the department issues a plans approval and permit to construct, the Michigan department of environmental quality shall issue to the department a construction plan approval pertaining to the public health aspects of the construction under sections 6(1) and 11(7) of the act, including all of the following approvals:
- (a) Preliminary approvals of the local health department, county road commission, county drain commissioner, and municipality or an affidavit from the developer which states that the statutory time limit of 60 days, under section 11(5) of the act, has expired without the unit of local government taking the appropriate action.
- (b) Approval from the department of environmental quality, in compliance with the requirements of 1994 PA 451, MCL 324.101 et seq. if the project lies in a floodplain.
- (c) Approval from the department of environmental quality, in compliance with the requirements of 1979 PA 203, MCL 281.701 et seq. if the project lies in a wetlands area.
- (4) The department shall issue a plans approval and permit to construct or intent to deny order within 90 days after receipt of a complete application or the plans are considered approved. The application shall be in compliance with the requirements in subrules (1), (2), and (3) of this rule.
- (5) A plans approval and permit to construct shall be valid for 5 years after the date of the issuance and may, upon application, review of the previously approved construction plans for compliance with these rules, and approval of the application, be renewed by the department if the last renewal does not expire more than 10 years after the initial plans approval and permit to construct was issued.
- (6) A permit to construct is transferable upon approval by the department.
- (7) The department shall maintain the plans approval and permit to construct and a copy of the approved plans and specifications as a permanent record. A copy of the approved plans and specifications shall be at the construction site or readily available during construction.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1985 MR 6, Eff. July 17, 1985; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1906

Source: 1998-2000 AACS.

#### R 125.1907

Source: 1998-2000 AACS.

#### R 125.1908 Construction plans; contents.

Rule 908. (1) A complete set of community construction plans shall include specifications and working drawings. The documents shall show the design, location, dimensions, materials, quality of materials, and workmanship standards necessary to construct the proposed community as related to internal road construction, utilities construction, home site construction, density, layout, open spaces, and other improvements to protect the health, safety, and welfare of community residents. Recreational facilities and any optional improvements shall be included in the plans. Specific plans shall include all of the following information:

- (a) A cover sheet that contains all of the following:
- (i) The name and location of the community.
- (ii) A comprehensive sheet index.
- (iii) List of abbreviations.
- (iv) Schedule of symbols.
- (v) A location map of the project depicting its relationship to the surrounding area.
- (b) A site plan that shows all of the following:
- (i) The location of all structures, sidewalks, internal roads, parking, and public road frontage.
- (ii) The dimensions and identity of all existing and proposed easements and encroachments.
- (iii) A survey bench mark shown by symbol and referenced to an official bench mark of the national geodetic survey or the United States geological survey, which are based on the national geodetic vertical datum of 1929.
- (iv) Identification of all contiguous properties or waterways.
- (v) If the community lies within or abuts a 100-year floodplain, floodplain data showing the 100-year contour line to the point where it intersects with the boundaries of the community or its limits, whichever is greater. Where a floodplain area exists, it shall be clearly labeled with the words "floodplain area."
- (c) A typical home site at an enlarged scale that shows all of the following:
- (i) Foundation construction.
- (ii) Required distances from other structures under R 125.1941.

- (iii) Details and location of sewer and water connections.
- (iv) Details and location of the utility pedestal.
- (v) Home site parking and other improvements.
- (vi) Details showing subsurface gas lines and electric lines .
- (d) Except in a seasonal community, a community lighting plan showing the location of all light fixtures and a detail of the fixture to be installed, including a note indicating compliance with the illumination requirements under R 125.1929. In a seasonal community, a community lighting plan showing the location of all light fixtures, if provided, and a detail of the fixture to be installed.
- (2) Where appropriate, plans may be combined if legibility is not impaired.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1985 MR 6, Eff. July 17, 1985; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1909

Source: 1998-2000 AACS.

#### R 125.1910

Source: 1998-2000 AACS.

#### R 125.1911

Source: 1997 AACS.

#### R 125.1912 Filing changes in plans with department; notice of approval or disapproval.

Rule 912. A developer shall file 2 copies of bulletins, addendums, or shop drawings depicting changes with the department for approval before any physical changes are made. The department shall notify the developer of approval or disapproval within 20 days after receipt of the change. The department shall return 1 copy to the developer.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1913 Rescinded.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1985 MR 6, Eff. July 17, 1985; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1914

Source: 1997 AACS.

#### R 125.1915

Source: 1997 AACS.

#### R 125.1916

**Source:** 1998-2000 AACS.

#### R 125.1917

Source: 1998-2000 AACS.

#### R 125.1918 Field inspections.

Rule 918. The department shall make field inspections necessary for an accurate evaluation and review of the community before, during, or after construction to ensure compliance with these rules and the approved plans.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1919

Source: 1997 AACS.

#### R 125.1920 Internal roads; general requirements; local conditions.

Rule 920. (1) Internal roads shall be approved by the department when they are in compliance with all of the following general requirements:

- (a) Internal roads shall be constructed in compliance with R 125.1922(1).
- (b) Internal roads shall have access to a public thoroughfare or shall be connected to a public thoroughfare by a permanent

easement. The easement shall be recorded before an internal road is approved by the department. Sole access by an alley is prohibited.

- (c) Dead end internal roads shall terminate with a turning radius of 50 feet. Parking shall not be permitted within the turning area, which shall be posted within the turning area.
- (d) A safe-sight distance of 250 feet shall be provided at intersections.
- (e) Offsets at intersections or intersections of more than 2 internal roads are prohibited.
- (f) Internal roads shall have driving surfaces with widths not less than the following:

- (2) All entrances to new communities or new entrances to expanded communities shall be a minimum of 33 feet in width. The entrance shall consist of an ingress lane and a left and right egress turning lane at the point of intersection between a public road and the community's internal road and shall be constructed as follows:
- (a) All turning lanes shall be a minimum of 11 feet in width and 60 feet in depth measured from the edge of the pavement of the public road into the community.
- (b) The turning lane system shall be tapered into the community internal road system commencing at a minimum depth of 60 feet.
- (c) The ingress and right egress turning lanes of the ingress and egress road shall connect to the public road and shall have a radius determined by the local public road authority. The intersection of the public road and ingress and egress road shall not have squared corners.
- (d) Alternative designs that provide for adequate ingress and egress shall be approved by the department.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Aug. 1, 2003.

#### R 125,1921

Source: 1997 AACS.

#### R125.1922 Internal roads; construction materials.

Rule 922. (1) An internal road shall be constructed of concrete, bituminous asphalt, or, where permitted by local regulations, compacted road gravel in compliance with the standards of the American association of state highway and transportation officials (AASHTO), which is adopted by reference in these rules and is available for inspection at the Michigan Department of Consumer and Industry Services, Bureau of Construction Codes, 2501 Woodlake Circle, Okemos, Michigan 48864, or from the American Association of State Highway & Transportation Officials, 444 North Capitol Street N.W., Suite 249, Washington, DC 20001, at a cost as of the time of adoption of these amendatory rules of \$480.00.

(2) The community developer may use other suitable materials of equal quality if approved by the department.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1923

Source: 1998-2000 AACS.

#### R 125.1924

**Source:** 1998-2000 AACS.

#### R 125.1925 Resident vehicle parking.

Rule 925. (1) All home sites shall be provided with 2 parking spaces.

- (2) If vehicle parking is provided on the home site, it shall be in compliance with both of the following provisions:
- (a) The parking spaces may be either in tandem or side by side. If spaces are in tandem, then the width shall not be less than 10 feet and the combined length shall not be less than 40 feet. If spaces are side by side, then the combined width of the 2 parking spaces shall not be less than 20 feet and the length shall not be less than 20 feet. In either method, the length shall be measured from the closest edge of the back of the curb, the paving surface, or the common sidewalk, if provided.
- (b) A parking space shall be hard-surfaced.
- (3) If vehicle parking is provided off the home site, then the parking spaces shall be adjacent to the home site and shall be in compliance with R 125.1926(2) and (3).

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1926 Additional parking facilities.

Rule 926. (1) A minimum of 1 parking space for every 3 home sites shall be provided for visitor parking. Visitor parking shall be located within 500 feet of the home sites the parking is intended to serve. The 500 feet shall be measured along a road or sidewalk.

- (2) If parking bays are provided, then they shall contain individual spaces that have a clear parking width of 10 feet and a clear length of 20 feet.
- (3) If parking facilities are provided off the home site in bays and at office or other facilities, then they shall be in compliance with R 408.30427.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1927

Source: 1998-2000 AACS.

#### R 125.1928 Sidewalks.

Rule 928. If a developer provides sidewalks, then the sidewalks shall be designed, constructed, and maintained for safe and convenient movement from all home sites to principal destinations within the community and connection to the public sidewalks outside the community. A sidewalk system shall be in compliance with all of the following requirements:

- (a) If constructed, sidewalks shall have a minimum width of 3 feet and shall be constructed in compliance with the requirements of 1973 PA 8, MCL 125.1361 et seq., an act which regulates sidewalks for handicappers.
- (b) Except in a seasonal community, an individual sidewalk shall be constructed between at least 1 entrance, or patio, porch, or deck, if provided, and the parking spaces on the home site or parking bay, whichever is provided, or common sidewalk, if provided.
- (c) In a community built under construction plans and specifications approved under a previous act, an individual sidewalk which is lengthened shall be the same width for its full length and at least equal in width for its full length to the original individual sidewalk.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1985 MR 6, Eff. July 17, 1985; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1929 Vehicular and sidewalk systems; illumination levels.

Rule 929. Except in a seasonal community, all vehicular and sidewalk systems within a community shall be illuminated as follows:

- (a) Access points shall be lighted. If the adjacent public thoroughfare is lighted, then the illuminated level shall not be more than the average illumination level of the thoroughfare.
- (b) At all internal road intersections and designated pedestrian crosswalks, the minimum illumination shall be not less than .15 footcandles.
- (c) Internal roads, parking bays, and sidewalks shall be illuminated at not less than .05 footcandles.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1930

Source: 1997 AACS.

#### R 125.1931

**Source:** 1998-2000 AACS.

#### R 125.1932

Source: 1998-2000 AACS.

#### R 125.1933

Source: 1998-2000 AACS.

#### R 125.1934 Community natural gas system.

Rule 934. The design, installation, operation, and maintenance of a community natural gas system shall, at a minimum, be in compliance with R 460.20101 et seq. of the Gas Safety rules and R 460.2301 et seq. of the Technical Standards for Gas Service and the construction, installation, and safety standards of the servicing public utility company. A community is

responsible for installing the natural gas system up to and including the meter and its disconnect in new or existing communities. In addition, the community shall comply with all of the following provisions:

- (a) Gas piping shall not be installed under a home building envelope or home, except for the piping required to connect the home to the servicing pedestal.
- (b) A home site shall be equipped with an approved weatherproof gas regulator and individual meter. The regulator and meter shall not be located under the home when it is placed on the home site. A community master meter shall not be used.
- (c) A home site shall have an approved gas shutoff valve installed upstream of the home site gas outlet and located on the inlet riser not less than 4 inches above the ground. The valve shall not be located under a home.
- (d) The minimum hourly volume of gas required at each point shall be designed according to applicable standards and the manufacturer's standard for the appliance or appliances served.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1985 MR 6, Eff. July 17, 1985; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1935 Community centralized liquefied petroleum gas (LPG) system.

Rule 935. If a centralized community liquefied petroleum gas (LPG) system is provided, it shall be designed, installed, operated, and maintained according to the rules entitled "Liquefied Petroleum Gases," being R 29.4001 to R 29.4035. A community shall install the liquefied petroleum gas system up to and including the meter and its disconnect in new or existing communities. In addition to the requirements of R 29.4001 to R 29.4035 both of the following provisions shall apply:

(a) A home site shall have an approved liquefied petroleum gas meter installed.

(b) The minimum hourly volume of liquefied petroleum gas required at each point in the system shall be calculated according to applicable standards and the manufacturer's standard for the appliance or appliances to be served.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1936 Individual home liquefied petroleum gas (LPG) system.

Rule 936. If an individual home liquefied petroleum gas system is permitted, then the installation, operation, and maintenance shall be in compliance with the manufacturer's installation instructions and R 29.4001 et seq. of the Liquefied Petroleum Gases rules.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1937 Community centralized fuel oil systems; installation after effective date of rule prohibited.

Rule 937. Community centralized fuel oil systems shall not be installed after July 16, 1998.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1938

Source: 1998-2000 AACS.

#### R 125.1939

Source: 1998-2000 AACS.

## R 125.1940 Television, telephone, and certain heating systems; compliance with state or local standards and ordinances.

Rule 940. (1) If central television antenna systems, cable television, or other similar services are provided, then the distribution systems shall be underground and shall be constructed and installed in compliance with state and local standards and ordinances.

- (2) Telephone systems shall be installed underground and shall be in compliance with state and local standards and ordinances. If state and local standards and ordinances do not exist, then the system shall be installed according to the construction, installation, and safety standards established by the servicing telephone company.
- (3) If a heating system other than natural gas, liquefied petroleum gas (LPG), or fuel oil is used, then the system shall be in compliance with state codes.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1940a Water system meters.

Rule 940a. (1) Water meter installation shall be in compliance with R 325.3321 and shall be approved by the Michigan department of environmental quality.

(2) All water meters shall be in compliance with the requirements of American water works association standards C700-95

entitled "Cold Water Meters – Displacement Type" (the cost at the time of adoption of these rules is \$36.00); C708-96 entitled "Cold Water Meters – Multijet Type" (the cost at the time of adoption of these rules is \$36.00); and C710-95 entitled "Cold Water Meters – Displacement Type Plastic Main Case" (the cost at the time of adoption of these rules is \$36.00). These standards are adopted in these rules by reference and are available for inspection at the Michigan Department of Consumer and Industry Services, Bureau of Construction Codes, 2501 Woodlake Circle, Okemos, Michigan 48864, or from the American Water Works Association, 6666 West Quincy Avenue, Denver, Colorado 80235.

History: 1990 MR 1, Eff. Feb. 2, 1990; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1941 Required distances between homes and other structures.

Rule 941. (1) A home shall be in compliance with all of the following minimum distances, as measured from the wall/support line or foundation line, whichever provides the greater distance:

- (a) For a home not sited parallel to an internal road, 20 feet from an adjacent home, including an attached structure that may be used for living purposes for the entire year.
- (b) For a home sited parallel to an internal road, 15 feet from an adjacent home, including an attached structure that may be used for living purposes for the entire year if the adjacent home is sited next to the home on and parallel to the same internal road or an intersecting internal road.
- (c) Ten feet from an attached or detached structure or accessory of an adjacent home that may not be used for living purposes for the entire year.
- (d) Fifty feet from permanent community-owned structures, such as either of the following:
- (i) Clubhouses.
- (ii) Maintenance and storage facilities.
- (e) One hundred feet from a baseball or softball field.
- (f) Twenty-five feet from the fence of a swimming pool.
- (g) Attached or detached structures or accessories that may not be used for living purposes for the entire year shall be a minimum distance of 10 feet from an adjacent home or its adjacent attached or detached structures.
- (2) A home, including an accessory, shall be set back all the following minimum distances, where applicable:
- (a) Seven feet from the edge of the back of the curb or the edge of an internal road paving surface.
- (b) Seven feet from a parking space on an adjacent home site or parking bay off a home site.
- (c) Seven feet from a common sidewalk.
- (d) Twenty-five feet from a natural or man-made lake or waterway.
- (3) A carport shall be in compliance with both of the following setbacks if it is completely open, at a minimum, on the 2 long sides and the entrance side:
- (a) Support pillars that are installed adjacent to the edge of an internal road shall be set back 4 feet or more from the closest edge of the internal road and 2 feet or more from the closest edge of a common sidewalk, if provided.
- (b) Roof overhang shall be set back 2 feet or more from the edge of the internal road.
- (4) Steps and their attachments shall not encroach into parking areas more than 3 1/2 feet.
- (5) A home sited on one side of the dividing line between a community constructed under a previous act and an expansion of the community constructed in compliance with the requirements of the act shall be a minimum of 13 feet from a home sited on the other side of the dividing line.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1942

Source: 1998-2000 AACS.

#### R 125.1943

Source: 1998-2000 AACS.

#### R 125.1944 Setbacks from property boundary lines.

Rule 944. (1) Homes, permanent buildings and facilities, and other structures shall not be located closer than 10 feet from the property boundary line of the community or home condominium and shall not be required by a local ordinance, unless approved by the commission, to be more than 10 feet from the property boundary line.

(2) Homes, permanent buildings and facilities, or any other structures that abut a public right-of-way shall not be located less than 50 feet from the boundary line. If the boundary line runs through the center of the public road, then the 50 feet shall be measured from the road right-of-way line. Homes, permanent buildings and facilities, and other structures shall not be required by a local ordinance to be more than 50 feet from the boundary line, unless the commission approves the ordinance.

This rule does not apply to internal roads dedicated for public use.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1985 MR 6, Eff. July 17, 1985; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

R 125.1945

**Source:** 1998-2000 AACS.

R 125.1946

**Source:** 1998-2000 AACS.

#### R 125.1947 Optional improvements.

Rule 947. (1) Optional improvements may fulfill part or all of the total designated open space requirement.

(2) Optional improvements shall be in compliance with current state codes and applicable laws and ordinances pertinent to construction, including the obtaining of the appropriate state or local permits pertinent to the facility or structure being constructed

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1985 MR 6, Eff. July 17, 1985; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1947a Communities constructed pursuant to previous acts or local ordinances, or both.

Rule 947a. (1) Amendments to the community construction standards in these rules do not apply to complete applications for plans approval and permits to construct received by the department before the effective date of these amendatory rules.

- (2) A community that expands shall conform to all the requirements pertaining to community construction in these rules for the expansion.
- (3) A community constructed according to the standards in previous acts, rules, or local ordinances shall be maintained in a condition consistent with the standards, with the following exceptions:
- (a) A community shall be adequately lighted during darkness.
- (b) If individual home site meters are installed, then the installation shall be in compliance with R 125.1932, R 125.1934, and R 125.1935.
- (c) Meters that are owned by the community shall be calibrated in compliance with R 125.1938.
- (4) In communities issued a permit to construct before February 28, 1979, enclosed structures attached to homes are considered obstructions in the 10-foot side yard space. All other structures or vegetation are not obstructions if there is a 4-foot wide ground level pathway which is obstruction free to 7 feet in height and which runs the length of the side yard with access to the road.

History: 1985 MR 6, Eff. July 17, 1985; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.1948 Variances; procedure.

Rule 948. (1) The commission may authorize under section 18(5) of the act the department to enter into agreements with community developers, owners, operators, or authorized agents for the purpose of granting a variance to the community design and construction rules promulgated by the director.

- (2) An applicant may file a request with the department for a specific variance if the specific requirement would cause an exceptional practical difficulty.
- (3) An applicant shall file with the municipal clerk's office, all residents on home sites immediately adjacent to the place for which a variance is being requested, and the Michigan department of environmental quality, if the variance is to or would impact on public health regulations, a notice of the request at the time the request is filed with the department. A complete request that contains all of the information specified in this subrule shall be filed before the department considers the request under subrule (1) of this rule or not less than 30 days before any commission meeting at which it is to be considered. The request shall be in writing and shall include, but is not limited to, all of the following information:
- (a) The specific citation of the rule requirement.
- (b) Specific reason or reasons for the variance.
- (c) A statement describing why the condition caused by the requirement is not so general or recurring that consideration should be given to amend the rules as the most practical means to rectify the difficulty.
- (d) A statement describing the difficulty encountered if the specific requirement of the rule was literally applied.
- (e) A statement describing the difficulty encountered in ensuring the protection of the health, safety, and welfare of community residents if the specific requirement of the act or these rules was literally applied, if applicable.
- (f) If a variance is requested for a specific home site, then the applicant shall provide all the following information:
- (i) When the home site and all adjacent home sites were built.

- (ii) When the home on the home site and all adjacent homes were installed.
- (iii) The location of the hitch and all outside doors of the home on the home site.
- (iv) The distance between the home on the home site and all adjacent homes, structures, sidewalks, internal roads, and community boundaries. The distance information shall be accompanied by an affidavit signed by the community owner or operator verifying the accuracy of all measurements.
- (g) Any other specific information and data pertinent to justification for the specific variance.
- (4) The applicant or an authorized representative of the applicant shall attend any commission meeting at which a variance request will be considered and be prepared to explain the request.
- (5) A municipality, a resident, or a representative of the department of environmental quality, as described in subrule (3) of this rule, may submit comments relative to the request verbally at the commission meeting at which the variance will be considered or in writing. Any submitted comments shall be considered by the commission or the department in approving or denving the request.
- (6) If a community developer, owner, or operator or a local government is aggrieved by a decision of the department under subrule (1) of this rule, then the aggrieved party may petition the commission for a hearing in compliance with the requirements of 1969 PA 306, MCL 24.201 et seq.
- (7) This rule does not apply to a request for a variance to a local ordinance, zoning requirement, or local rules which may be granted only by local government under section 18(4) of the act.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125,1949

Source: 1998-2000 AACS.

#### R 125.1950 Existing communities; construction; permit to construct; alterations.

Rule 950. (1) An application for a permit to construct shall be filed with the department for all construction projects that alter an existing community in any manner from the community construction plans and specifications approved under 1939 PA 143, MCL 125.751 et seq. or 1959 PA 243, MCL 125.1001 et seq. Alteration projects include, but are not limited to, upgrading, installing, expanding, or removing utility service systems, community lighting systems, or internal roads.

- (2) The department shall not issue a permit to construct until all of the following are received:
- (a) From the applicant, and as approved by the department, all of the following items:
- (i) Construction plans and specifications.
- (ii) On a form prescribed by the department, an application completely and accurately filled out and executed.
- (iii) The fee as specified in R 125.1315(4).
- (b) From the department of environmental quality, both of the following approvals:
- (i) Approvals of the local health department, county drain commissioner, county road commission, and municipality, if appropriate.
- (ii) Approval by the department of environmental quality for matters pertaining to water supply, sewage collection and disposal, drainage, garbage and rubbish storage and disposal, and insect and rodent control.
- (3) An application shall not be considered complete until all items referred to in subrule (2) of this rule have been received. This rule does not exempt the community from inspection requirements that are required by other laws, rules, or local ordinances as they apply to the specific project.
- (4) The department shall issue a permit to construct or an intent to deny order within 45 days after receipt of a complete application.

History: 1979 ACS 2, Eff. May 2, 1980; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### PART 10. MOBILE HOME PARK BUSINESS PRACTICES

#### R 125.2001 Definitions.

Rule 1001. (1) As used in this part:

- (a) "Community rules" means a written document promulgated by the community which regulates all of the following and which includes the informational and disclosure items specified in R 125.2006:
- (i) Yard maintenance.
- (ii) Automobiles.
- (iii) Children.
- (iv) Pets.
- (v) Guests.

- (vi) Garbage and rubbish disposal.
- (vii) Rental payments.
- (viii) Other conditions of tenancy.
- (b) "Inventory checklist" means the identical written form used at the commencement and termination of tenancy that records the condition of all items on the home site which are owned by the community, including, but not limited to all of the following:
- (i) Building envelopes.
- (ii) Utility hookups.
- (iii) Patios.
- (iv) Driveways.
- (v) Parking spaces.
- (vi) Sewer connections.
- (c) "Lease" means a written agreement for the use, possession, and occupancy of a home site or home, or both, which contains all conditions of tenancy and which may include the community rules and regulations.
- (d) "Rent" means any consideration paid by a resident for the right to use, possess, and occupy a home site or home, or both, and other facilities made available to the resident by the community.
- (e) "Security deposit" means a deposit, in any amount, paid by the resident to the landlord or its agent to be held for the term of the rental agreement, or any part thereof. "Security deposit" includes any of the following:
- (i) Any required prepayment of rent other than the first full rental period of the lease.
- (ii) Any sum required to be paid as rent in any rental period in excess of the average rent for the term.
- (iii) Any other amount of money or property that is returnable to the resident on the condition of return of the rental unit by the resident in the condition required by the rental agreement. "Security deposit" does not include an amount paid for an option to purchase under a lease with an option to purchase, unless it is shown that the intent was to evade the act.
- (2) As used in section 28 of the act:
- (a) "Entrance fee" means a fee charged by a community as a condition precedent to the right to reside in the community, including a community requirement for resident paid for or provided landscaping or underground sprinkling systems, or both. The term does not include any of the following:
- (i) Security deposits.
- (ii) Fees and taxes charged by a unit of government, except for fees and taxes to be paid by the community that are related to capital improvements.
- (iii) Deposits for service charged by public utilities.
- (iv) Utility charges billed directly to the resident by the community.
- (v) Rent.
- (vi) Actual cost of a credit report, if one is obtained.
- (vii) Nonrefundable cleaning fee as allowed by law.
- (viii) A community requirement that a current or prospective resident, a retailer, or an installer and servicer pay for changing the electrical service provided to the home from the electrical pedestal disconnect box if the change is necessary to meet the Michigan electrical code, R 408.30801 et seq. for service to the home. The community requirement for payment shall be disclosed to the current or prospective resident, retailer, or installer and servicer before the resident, retailer, or installer and servicer commits to secure a home site or to bring the home into the community.
- (ix) A community-required payment for the part of a foundation system that is more than 66 feet in length for a single section home and 56 feet in length for a multiple section home. The home lengths may be altered annually by the commission through an interpretive statement. The community requirement for payment shall be disclosed to the current or prospective resident, retailer, or installer and servicer before the resident, retailer, or installer and servicer commits to secure a home site. This exemption applies to foundation systems on new home sites in communities whose applications for permits to construct were received after June 29, 1994.
- (x) A community-required payment for the part of a foundation system in excess of that which exists on a previously occupied home site. The community requirement for payment shall be disclosed to the current or prospective resident, retailer, or installer and servicer before the resident, retailer, or installer and servicer commits to secure a home site or to bring the home into the community.
- (xi) A community-required payment for a foundation system that is approved by the department for use in the community, but not provided by the community. The community requirement for payment shall be disclosed to the current or prospective resident, retailer, or installer and servicer before the resident, retailer, or installer and servicer commits to secure a home site or to bring the home into the community.
- (xii) Other fees as determined by the commission by declaratory ruling or interpretive statement.
- (b) "Exit fee" means any fee charged by a community as a condition precedent to the right to terminate tenancy. This does

not foreclose the right of the community to retain the security deposit in compliance with the requirements of 1972 PA 348, MCL 554.601 et seq.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.2001a Inspections; inspection standards.

Rule 1001a. Before a home is offered for sale or placement of a "For Sale" sign, a home shall be inspected if required by the community rules. The inspection shall be in compliance with section 28a of the act and shall be valid for 1 year. The inspection standards shall be stated in the community rules and met by a majority of the homes in the community.

History: 2003 MR 14, Eff. Aug. 1, 2003

#### R 125.2002

Source: 1998-2000 AACS.

#### R 125.2003 Means to assure completion of optional improvements.

Rule 1003. An optional improvement for resident use or convenience which has not been completed, shall not be advertised unless the completion of the optional improvement is assured by substantial completion or the advertising discloses the promised date of completion, or both. If an optional improvement is not completed by the date promised, then the department may, after notice of opportunity for hearing, require an irrevocable bank letter of credit, bond, or similar undertaking that is acceptable to the department posted with a public authority or may require adequate reserves established and maintained in a trust or escrow account to ensure completion of the optional improvement. In determining adequacy of the account, the department shall be guided by the facts and circumstances of each individual case, but the account shall be in compliance with all of the following provisions:

- (a) Funds shall be kept and maintained in a separate escrow account.
- (b) The account shall be approved by the department and shall be established in a financial institution doing business in this state or in another state whose laws require the account to be maintained in that state.
- (c) Monthly progress reports shall be furnished to the department by the community for a new project for the first 6 months and, in the department's discretion, quarterly or semiannually after the first 6 months.
- (d) The trust or escrow agreement shall state that its purpose is to protect the resident or prospective resident if the community fails to complete the construction of promised optional improvements. The trust or escrow agreement also shall authorize the department to inspect the records of the trustee relating the agreement.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.2004

Source: 1997 AACS.

#### R 125.2005

Source: 1998-2000 AACS.

#### R 125.2005a

Source: 1998-2000 AACS.

#### R 125.2005 Leases; refusal; terms; security deposits; inventory checklists.

Rule 1005. (1) A written lease shall be offered for each home site at the beginning of tenancy. The lease shall conform to the procedures in 1972 PA 348, MCL 554.601 et seq. and 1978 PA 454, MCL 554.631 et seq.

- (2) If a resident refuses the lease offered at the beginning of tenancy, then the community shall require a written statement of refusal. The refusal is not a waiver of any of the resident's rights as guaranteed by law.
- (3) A community shall not charge a premium for a lease.
- (4) If a community requires a resident or prospective resident to prove ownership of a newly acquired home as a condition of siting the home in the community, then the resident or prospective resident may satisfy the requirement by providing a photocopy of a validated signed application for a certificate of manufactured home ownership.
- (5) A community may allow a retailer, consumer, or lending institution to pay rent on a home site in the community before placing a home on the home site if the action does not result in a closed community. The home site that is rented is unavailable for rental to another retailer, consumer, or lending institution.
- (6) A community may allow a retailer, consumer, or lending institution to place a home on a home site before the sale of the home. The home site upon which the home is placed is unavailable for the placement of another home.

- (7) A community shall provide its permission for a sale in the community and on the home site and its acceptance of a prospective purchaser as a resident in writing, if requested.
- (8) A security deposit received by a community shall be maintained in compliance with 1972 PA 348, MCL 554.601 et seq.
- (9) If a community requires a security deposit, then the community shall utilize an inventory checklist at the beginning and termination of the tenancy to determine damages. The community shall comply with 1972 PA 348, MCL 554.601 et seq. History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.2005a Buyer's and resident's handbook.

Rule 1005a. A manufactured home buyer's and resident's handbook shall be provided by retailers to home purchasers at the time a purchase agreement is executed and by communities to prospective residents at the time an application for residency is signed. The department shall furnish all communities and retailers with sufficient copies of the handbook.

History: 1991 MR 1, Eff. Feb. 1, 1991; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

## R 125.2006 Community rules; provision of community rules to prospective and existing residents; community rule changes; rent charges.

Rule 1006. (1) The community shall provide each prospective and existing resident with a copy of the community rules. The resident shall execute a written receipt for the community rules.

- (2) The community shall provide proposed changes to the community rules to each resident not less than 30 days before the date on which the changes become effective.
- (3) Community rules shall not do any of the following:
- (a) Prohibit "For Sale" signs.
- (b) Require "For Sale" signs to be less than 18 inches by 24 inches.
- (c) Prohibit or restrict the placement of up to 2 "For Sale" signs in the windows of or on a home.
- (d) Require a home to meet a construction standard other than that to which it was built in order to be sold in the community.
- (e) Require tires to be present if a home is to be sold in the community.
- (4) The community shall post, in a conspicuous place in the community office, a detailed list of current rent ranges and a detailed list of any other charges that are added to the base rent which establish the monthly rental amount that a resident is to pay.
- (5) A community rent structure shall be in compliance with 1976 PA 453, MCL 37.2502 and 37.2503.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1979 ACS 12, Eff. Oct. 21, 1982; 1985 MR 6, Eff. July 17, 1985; 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.2006a Water meter installation disclosure.

Rule 1006a. If the community converts its water metering to individual site metering, then the community shall notify each resident, in writing, not less than 30 days before meter installation. The disclosure shall include, but not be limited to, all of the following items:

- (a) The water and sewer rate per thousand gallons or in the units measured by the meter.
- (b) All additional charges.
- (c) Minimum fees.
- (d) Shutoff procedures.
- (e) Installation procedures.
- (f) Payment procedures, including the billing period and due dates and a requirement that bills include beginning and ending meter readings and total usage.
- (g) Rate change procedures.
- (h) A list of items furnished and maintained by the community.
- (i) A statement that the community shall furnish a new heat tape and shall maintain it for 1 year.

The information shall be included in the community rules.

History: 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1998 MR M7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.2006b Resident-provided utility service.

Rule 1006b. If the community resident provides any utility service that results in common community use, then the community shall disclose the charge to all affected residents.

History: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.2007 Accounts and records; maintenance; inspections; retention.

Rule 1007. (1) The community shall maintain all the following accounts and records at the community office or at a central office for 4 years:

- (a) A copy of the lease for each resident or a copy of the statement of refusal signed by the resident.
- (b) A copy of the inventory checklists for each resident.
- (c) A copy of the resident receipt for community rules.
- (d) A record of the rent receipts for each resident.
- (e) If security deposits are required, then a current and accurate record system of security deposits received and disbursed upon termination of tenancy for each home or home site, or both.
- (f) A current and accurate record of the community residents, which shall include all of the following information:
- (i) Name of each resident and member of the resident's household, if applicable.
- (ii) Home site number.
- (iii) Date of tenancy.
- (iv) Date of termination.
- (2) All accounts and records that are required to be maintained by these rules shall be available for inspection by an authorized representative of the department during normal business hours.
- (3) Unless otherwise provided for by law, these or other rules, or local ordinances that require a longer retention period, the following accounts and records shall be maintained for a period of 4 years after tenancy termination:
- (a) A copy of the resident's most recent lease or rental agreement or the resident's lease refusal statement.
- (b) A copy of the final inventory checklist for each resident.
- (c) A copy of the resident's most recent receipt for community rules.
- (d) A resident's file.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1954 ACS 100, Eff. Sept. 5, 1979; 1979 AC; 1979 ACS 2, Eff. May 2, 1980; 1985 MR 6, Eff. July 17, 1985: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### R 125.2008

Source: 1997 AACS.

#### R 125.2009 Community owner or operator; prohibited practices.

Rule 1009. A community owner or operator shall not do any of the following:

- (a) Aid or abet an unlicensed person to evade the provisions of the act or these rules.
- (b) Knowingly combine or conspire with, or be acting as an agent, partner, or associate for an unlicensed person.
- (c) Allow one's license to be used by an unlicensed person.
- (d) Be acting as a licensed retailer for an undisclosed person who does or will control or direct, or who may have the right to control or direct, directly or indirectly, the business operations or performance, or both, of the licensee.
- (e) Use age or size, either separately or in combination, as a sole basis for refusing to allow the sale of a home in the community and on the home site.
- (f) Prohibit a resident from using a licensed retailer of the resident's choice to sell his or her home in the community.
- (g) Prohibit the installation, in compliance with federal law, of a satellite dish on a home.
- (h) Prohibit political yard signs. Political yard signs means "campaign signs demonstrating a position on candidates for publicly elected offices or proposals for public election."
- (i) Require political yard signs to be less than 18 inches by 24 inches.
- (j) Prohibit or restrict the placement of up to 2 political yard signs per site.
- (k) Restrict the display duration of political yard signs when they are in compliance with the local government ordinance, for a period beginning 4 weeks before and, 1 week after a governmental election.

History: 1954 ACS 98, Eff. Feb. 28, 1979; 1979 AC: 1998 MR 7, Eff. July 16, 1998; 2003 MR 14, Eff. Aug. 1, 2003.

#### PART 11. SEASONAL MOBILE HOME PARKS

#### R 125.3001

Source: 1998-2000 AACS.

R 125.3002

Source: 1998-2000 AACS.

R 125.3003

**Source:** 1998-2000 AACS.

R 125.3004

Source: 1998-2000 AACS.

R 125.3005

Source: 1998-2000 AACS.

R 125.3006

Source: 1998-2000 AACS.

R 125.3007

**Source:** 1998-2000 AACS.

R 125.3008

**Source:** 1998-2000 AACS.

R 125.3009

**Source:** 1998-2000 AACS.

R 125.3010

Source: 1998-2000 AACS.

R 125.3011

Source: 1998-2000 AACS.

R 125.3012

Source: 1998-2000 AACS.

R 125.3013

Source: 1998-2000 AACS.

R 125.3014

Source: 1998-2000 AACS.

R 125.3015

Source: 1997 AACS.

R 125.3016

**Source:** 1998-2000 AACS.

R 125.3017

Source: 1998-2000 AACS.

R 125.3018

Source: 1998-2000 AACS.

R 125.3019

**Source:** 1998-2000 AACS.

R 125.3020

Source: 1998-2000 AACS.

R 125.3021

Source: 1998-2000 AACS.

R 125.3022

Source: 1998-2000 AACS.

R 125.3023

Source: 1998-2000 AACS.

R 125.3024

**Source:** 1998-2000 AACS.

R 125.3025

Source: 1998-2000 AACS.

R 125.3026

Source: 1997 AACS.

R 125.3027

Source: 1998-2000 AACS.

R 125.3028

**Source:** 1998-2000 AACS.

R 125.3029

Source: 1998-2000 AACS.

R 125.3030

Source: 1998-2000 AACS.

R 125.3031

Source: 1998-2000 AACS.

R 125.3032

Source: 1998-2000 AACS.

R 125.3033

Source: 1997 AACS.

R 125.3034

**Source:** 1998-2000 AACS.

R 125.3035

Source: 1997 AACS.

R 125.3036

**Source:** 1998-2000 AACS.

R 125.3037

Source: 1998-2000 AACS.

R 125.3038

Source: 1998-2000 AACS.

R 125.3039

Source: 1998-2000 AACS.

R 125.3042

Source: 1998-2000 AACS.

R 125.3043

Source: 1998-2000 AACS.

R 125.3044

**Source:** 1998-2000 AACS.

R 125.3045

Source: 1998-2000 AACS.

R 125.3046

Source: 1998-2000 AACS.

R 125.3047

Source: 1998-2000 AACS.

R 125.3048

**Source:** 1998-2000 AACS.

R 125.3049

**Source:** 1998-2000 AACS.

R 125.3050

Source: 1998-2000 AACS.

R 125.3051

Source: 1998-2000 AACS.

R 125.3051a

Source: 1998-2000 AACS.

R 125.3052

Source: 1998-2000 AACS.

R 125.3053

Source: 1998-2000 AACS.

R 125.3054

**Source:** 1998-2000 AACS.

R 125.3055

Source: 1998-2000 AACS.

R 125.3056

**Source:** 1998-2000 AACS.

R 125.3057

Source: 1998-2000 AACS.

R 125.3058

**Source:** 1998-2000 AACS.

R 125.3059

**Source:** 1998-2000 AACS.

R 125.3060

**Source:** 1998-2000 AACS.

R 125.3061

Source: 1998-2000 AACS.

R 125.3062

**Source:** 1998-2000 AACS.

R 125.3063

Source: 1998-2000 AACS.

R 125.3064

Source: 1997 AACS.

R 125.3065

Source: 1998-2000 AACS.

R 125.3066

Source: 1998-2000 AACS.

R 125.3067

Source: 1998-2000 AACS.

R 125.3068

**Source:** 1998-2000 AACS.

R 125.3069

Source: 1998-2000 AACS.

# DEPARTMENT OF TREASURY REVENUE DIVISION TOBACCO PRODUCTS TAX EMERGENCY RULES

# MUNICIPAL FINANCE COMMISSION BONDS

R 132.1

Source: 1997 AACS.

#### **HEARINGS**

R 132.101

Source: 1997 AACS.

R 132.102

Source: 1997 AACS.

R 132.103

Source: 1997 AACS.

R 132.104

Source: 1997 AACS.

R 132.105

Source: 1997 AACS.

R 132.106

Source: 1997 AACS.

R 132.107

Source: 1997 AACS.

# MUNICIPAL FINANCE DIVISION GENERAL RULES

#### PART 1. GENERAL PROVISIONS

R 132.1101

Source: 1986 AACS.

R 132.1102

Source: 1986 AACS.

R 132.1103

Source: 1986 AACS.

R 132.1104

Source: 1986 AACS.

R 132.1105

Source: 1986 AACS.

R 132.1106

Source: 1986 AACS.

R 132.1107

Source: 1986 AACS.

R 132.1108

Source: 1986 AACS.

R 132.1109

Source: 1986 AACS.

R 132.1110

Source: 1986 AACS.

R 132.1111

Source: 1986 AACS.

R 132.1112

Source: 1986 AACS.

R 132.1113

Source: 1986 AACS.

R 132.1114

Source: 1986 AACS.

R 132.1115

Source: 1986 AACS.

R 132.1116

Source: 1986 AACS.

R 132.1117

Source: 1986 AACS.

R 132.1118

R 132.1119

Source: 1986 AACS.

R 132.1120

Source: 1986 AACS.

R 132.1121

Source: 1986 AACS.

R 132.1122

Source: 1986 AACS.

R 132.1123

Source: 1986 AACS.

R 132.1124

Source: 1986 AACS.

R 132.1125

Source: 1986 AACS.

R 132.1126

Source: 1986 AACS.

#### PART 2. PRIOR APPROVAL EXCEPTIONS

R 132.1201

Source: 1986 AACS.

R 132.1202

Source: 1986 AACS.

R 132.1203

Source: 1986 AACS.

R 132.1204

Source: 1986 AACS.

R 132.1205

Source: 1986 AACS.

R 132.1206

Source: 1986 AACS.

R 132.1207

Source: 1986 AACS.

R 132.1208

Source: 1986 AACS.

R 132.1209

Source: 1986 AACS.

R 132.1210

Source: 1986 AACS.

R 132.1211

R 132.1212 Source: 1986 AACS. R 132.1213 Source: 1986 AACS. R 132.1214 Source: 1986 AACS. R 132.1215 Source: 1986 AACS. R 132.1216 Source: 1986 AACS. R 132.1217 Source: 1986 AACS. R 132.1218 Source: 1986 AACS. R 132.1219 Source: 1986 AACS. R 132.1220 Source: 1986 AACS. PART 3. BOND APPLICATIONS—PRIOR APPROVAL R 132.1301 Source: 1986 AACS. R 132.1302 Source: 1986 AACS. R 132.1303 Source: 1986 AACS. R 132.1304 Source: 1986 AACS. R 132.1305 Source: 1986 AACS. R 132.1306 Source: 1986 AACS.

PART 4. REFUNDING OBLIGATIONS—PRIOR APPROVAL

R 132.1401

R 132.1307

R 132.1308

Source: 1986 AACS.

Source: 1986 AACS.

R 132.1402

Source: 1986 AACS.

R 132.1403

Source: 1986 AACS.

R 132.1404

Source: 1986 AACS.

R 132.1405

Source: 1986 AACS.

#### PART 5. TAX ANTICIPATION NOTES—PRIOR APPROVAL

R 132.1501

Source: 1986 AACS.

R 132.1502

Source: 1986 AACS.

R 132.1503

Source: 1986 AACS.

R 132.1504

Source: 1986 AACS.

R 132.1505

Source: 1986 AACS.

R 132.1506

Source: 1986 AACS.

R 132.1507

Source: 1986 AACS.

R 132.1508

Source: 1986 AACS.

## PART 6. CONSOLIDATED TAX ANTICIPATION NOTES—PRIOR APPROVAL

R 132.1601

Source: 1986 AACS.

R 132.1602

Source: 1986 AACS.

R 132.1603

Source: 1986 AACS.

R 132.1604

Source: 1986 AACS.

#### PART 7. DEBT RETIREMENT FUND TRANSFERS

R 132.1701

R 132.1702

Source: 1986 AACS.

R 132.1703

Source: 1986 AACS.

R 132.1704

Source: 1986 AACS.

R 132.1705

Source: 1986 AACS.

#### PART 8. HEARINGS AND RECONSIDERATION

R 132.1801

Source: 1986 AACS.

R 132.1802

Source: 1986 AACS.

R 132.1803

Source: 1986 AACS.

R 132.1804

Source: 1986 AACS.

R 132.1805

Source: 1986 AACS.

R 132.1806

Source: 1986 AACS.

R 132.1807

Source: 1986 AACS.

R 132.1808

Source: 1986 AACS.

R 132.1809

Source: 1986 AACS.

R 132.1810

Source: 1986 AACS.

R 132.1811

Source: 1986 AACS.

R 132.1812

Source: 1986 AACS.

R 132.1813

Source: 1986 AACS.

R 132.1814

Source: 1986 AACS.

R 132.1815

R 132.1816

Source: 1986 AACS.

# DEPARTMENT OF TREASURY BUREAU OF REVENUE CITY UTILITY USERS TAX

#### **PART 1. GENERAL PROVISIONS**

R 141.1

Source: 1995 AACS.

R 141.2

Source: 1995 AACS.

### DEPARTMENT OF STATE BOARD OF STATE CANVASSERS PROCEDURES

R 168.841

Source: 1997 AACS.

R 168.842

Source: 1997 AACS.

R 168.843

Source: 1997 AACS.

R 168.844

Source: 1997 AACS.

R 168.845

Source: 1997 AACS.

DEPARTMENT OF STATE BUREAU OF ELECTIONS CAMPAIGN FINANCING

#### PART 1. GENERAL PROVISIONS

R 169.3

Source: 1982 AACS.

R 169.4

Source: 1982 AACS.

R 169.5

Source: 1982 AACS.

#### **PART 2. COMMITTEES**

R 169.22

R 169.23 Source: 1997 AACS. R 169.25 Source: 1982 AACS. R 169.28 Source: 1982 AACS. R 169.29 Source: 1996 AACS. R 169.29a Source: 1996 AACS. R 169.29b Source: 1996 AACS. R 169.29c Source: 1996 AACS. R 169.29d Source: 1997 AACS. PART 3. REPORTS, CONTRIBUTIONS, AND EXPENDITURES R 169.32 Source: 1982 AACS. R 169.34 Source: 1982 AACS. R 169.35 Source: 1982 AACS. R 169.35a Source: 1982 AACS. R 169.36 Source: 1982 AACS. R 169.37 Source: 1982 AACS. R 169.38 Source: 1982 AACS. R 169.39 Source: 1997 AACS. R 169.39a Source: 1982 AACS. R 169.39b Source: 1998-2000 AACS.

R 169.39c

Source: 1998-2000 AACS.

R 169.39d

Source: 1998-2000 AACS.

R 169.39e

Source: 1998-2000 AACS.

#### PART 4. STATE CAMPAIGN FUND

R 169.44

Source: 1982 AACS.

R 169.45

Source: 1982 AACS.

R 169.46

Source: 1982 AACS.

R 169.47

Source: 1982 AACS.

R 169.48

Source: 1982 AACS.

#### PART 5. COMPLAINTS AND INVESTIGATIONS

R 169.55

Source: 1982 AACS.

R 169.56

Source: 1982 AACS.

#### PART 6. OFFICEHOLDER'S EXPENSE FUND

R 169.61

Source: 1989 AACS.

R 169.62

Source: 1989 AACS.

R 169.63

Source: 1989 AACS.

R 169.64

Source: 1989 AACS.

R 169.65

Source: 1989 AACS.

# DEPARTMENT OF TREASURY REVENUE DIVISION GENERAL AND SPECIFIC SALES AND USE TAX RULES

R 205.2

Source: 1997 AACS.

R 205.3

Source: 1997 AACS.

R 205.4

Source: 1997 AACS.

R 205.6

Source: 1997 AACS.

R 205.7

Source: 1997 AACS.

R 205.10

Source: 1997 AACS.

R 205.11

Source: 1997 AACS.

R 205.12

Source: 1997 AACS.

R 205.14

Source: 1997 AACS.

R 205.17

Source: 1997 AACS.

R 205.18

Source: 1997 AACS.

R 205.19

Source: 1997 AACS.

R 205.21

Source: 1997 AACS.

R 205.24

Source: 1997 AACS.

R 205.25

Source: 1997 AACS.

R 205.27

Source: 1997 AACS.

R 205.59

Source: 1997 AACS.

R 205.61

Source: 1997 AACS.

R 205.82

Source: 1997 AACS.

R 205 85

Source: 1997 AACS.

R 205.86

Source: 1997 AACS.

R 205.96

Source: 1997 AACS.

R 205.103

Source: 1997 AACS.

R 205.105

Source: 1997 AACS.

R 205.120

Source: 1997 AACS.

R 205.121

Source: 1997 AACS.

R 205.122

Source: 1997 AACS.

R 205.123

Source: 1997 AACS.

R 205.125

Source: 1997 AACS.

R 205.129

Source: 1997 AACS.

R 205.138

Source: 1997 AACS.

#### DEPARTMENT OF TREASURY

#### **BUREAU OF REVENUE**

#### INTANGIBLES TAX

R 205.201

Source: 1998-2000 AACS.

R 205.202

Source: 1998-2000 AACS.

R 205.203

**Source:** 1998-2000 AACS.

R 205.204

Source: 1998-2000 AACS.

R 205.205

Source: 1998-2000 AACS.

R 205.206

**Source:** 1998-2000 AACS.

R 205.207

Source: 1998-2000 AACS.

R 205.208

Source: 1998-2000 AACS.

R 205.209

Source: 1998-2000 AACS.

R 205.210

Source: 1998-2000 AACS.

R 205.211

Source: 1998-2000 AACS.

R 205.212

**Source:** 1998-2000 AACS.

R 205.213

**Source:** 1998-2000 AACS.

R 205.214

Source: 1998-2000 AACS.

R 205.215

**Source:** 1998-2000 AACS.

R 205.216

Source: 1998-2000 AACS.

R 205.217

**Source:** 1998-2000 AACS.

R 205.218

Source: 1998-2000 AACS.

R 205.219

**Source:** 1998-2000 AACS.

R 205.220

Source: 1998-2000 AACS.

R 205.221

Source: 1998-2000 AACS.

R 205.222

**Source:** 1998-2000 AACS.

R 205.223

**Source:** 1998-2000 AACS.

R 205.224

Source: 1998-2000 AACS.

R 205.225

**Source:** 1998-2000 AACS.

R 205.226

**Source:** 1998-2000 AACS.

R 205.227

Source: 1998-2000 AACS.

R 205.228

Source: 1998-2000 AACS.

R 205,229

**Source:** 1998-2000 AACS.

R 205.230

Source: 1998-2000 AACS.

R 205.231

Source: 1998-2000 AACS.

# STATE BOARD OF TAX APPEALS PRACTICE AND PROCEDURE

R 205.301

Source: 1997 AACS.

R 205.302

Source: 1997 AACS.

R 205.303

Source: 1997 AACS.

R 205.304

Source: 1997 AACS.

R 205.305

Source: 1997 AACS.

R 205.306

Source: 1997 AACS.

R 205.307

Source: 1997 AACS.

R 205.308

Source: 1997 AACS.

R 205.309

Source: 1997 AACS.

R 205.310

Source: 1997 AACS.

R 205.311

Source: 1997 AACS.

R 205.312

Source: 1997 AACS.

R 205.313

Source: 1997 AACS.

R 205.314

Source: 1997 AACS.

R 205.315

Source: 1997 AACS.

R 205.316

Source: 1997 AACS.

R 205.317

Source: 1997 AACS.

R 205.318

Source: 1997 AACS.

R 205.319

Source: 1997 AACS.

R 205.320

Source: 1997 AACS.

R 205.321

Source: 1997 AACS.

# REVENUE DIVISION CIGARETTE TAX

R 205.401

Source: 1998-2000 AACS.

R 205.402

Source: 1980 AACS.

R 205.403

Source: 1980 AACS.

R 205.404

**Source:** 1998-2000 AACS.

R 205.405

Source: 1980 AACS.

R 205.406

Source: 1998-2000 AACS.

R 205.407

Source: 1980 AACS.

R 205,408

Source: 1998-2000 AACS.

R 205.409

Source: 1980 AACS.

R 205 410

Source: 1998-2000 AACS.

R 205.411

**Source:** 1998-2000 AACS.

R 205.412

**Source:** 1998-2000 AACS.

R 205.413

Source: 1998-2000 AACS.

R 205.414

Source: 1998-2000 AACS.

R 205.415

Source: 1998-2000 AACS.

R 205.416

Source: 1980 AACS.

**DEPARTMENT OF TREASURY** 

**BUREAU OF REVENUE** 

TOBACCO PRODUCTS TAX

R 205.451

Source: 1998-2000 AACS.

R 205.452

Source: 1998-2000 AACS.

R 205.453

Source: 1998-2000 AACS.

R 205.454

Source: 1998-2000 AACS.

R 205.455

**Source:** 1998-2000 AACS.

**BUSINESS ACTIVITIES TAX** 

R 205.551

Source: 1997 AACS.

R 205.552

Source: 1997 AACS.

R 205.553

Source: 1997 AACS.

R 205.554

Source: 1997 AACS.

R 205.555

Source: 1997 AACS.

R 205.556

Source: 1997 AACS.

R 205.557

Source: 1997 AACS.

R 205.558

Source: 1997 AACS.

R 205.559

Source: 1997 AACS.

R 205.560

Source: 1997 AACS.

R 205.561

Source: 1997 AACS.

R 205.562

Source: 1997 AACS.

R 205.563

Source: 1997 AACS.

R 205.564

Source: 1997 AACS.

R 205.565

Source: 1997 AACS.

R 205.566

Source: 1997 AACS.

# BUREAU OF REVENUE TAXPAYER BILL OF RIGHTS

R 205.1001

Source: 1996 AACS.

R 205.1002

Source: 1996 AACS.

R 205.1003

Source: 1996 AACS.

R 205.1004

Source: 1996 AACS.

R 205.1005

Source: 1996 AACS.

R 205.1006

Source: 1998-2000 AACS.

R 205.1007

Source: 1996 AACS.

R 205.1008

R 205.1009

Source: 1996 AACS.

R 205.1010

Source: 1996 AACS.

R 205.1011

Source: 1996 AACS.

R 205.1012

Source: 1996 AACS.

R 205.1013

Source: 1996 AACS.

## DEPARTMENT OF CONSUMER AND INDUSTRY SERVICES TAX TRIBUNAL

#### PRACTICE AND PROCEDURE

#### **PART 1. GENERAL PROVISIONS**

R 205.1101

Source: 1996 AACS.

R 205.1111

Source: 1996 AACS.

R 205.1115

Source: 1996 AACS.

R 205.1120

Source: 1996 AACS.

R 205.1125

Source: 1996 AACS.

R 205.1130

Source: 1996 AACS.

R 205.1135

Source: 1996 AACS.

R 205.1140

Source: 1996 AACS.

R 205.1145

Source: 1996 AACS.

R 205.1150

Source: 1996 AACS.

R 205.1155

Source: 1996 AACS.

#### PART 2. MATTERS BEFORE ENTIRE TRIBUNAL

R 205.1201

Source: 1996 AACS.

R 205.1202

Source: 1996 AACS.

R 205.1205

Source: 1996 AACS.

R 205.1208

Source: 1996 AACS.

R 205.1210

Source: 1996 AACS.

R 205.1215

Source: 1996 AACS.

R 205.1220

Source: 1996 AACS.

R 205.1222

Source: 1996 AACS.

R 205.1225

Source: 1996 AACS.

R 205.1230

Source: 1996 AACS.

R 205.1235

Source: 1996 AACS.

R 205.1240

Source: 1996 AACS.

R 205.1245

Source: 1996 AACS.

R 205.1247

Source: 1996 AACS.

R 205.1249

Source: 1996 AACS.

R 205.1250

Source: 1996 AACS.

R 205.1252

Source: 1996 AACS.

R 205.1255

Source: 1996 AACS.

R 205.1260

Source: 1996 AACS.

R 205.1264

R 205.1270

Source: 1996 AACS.

R 205.1275

Source: 1996 AACS.

R 205.1278

Source: 1996 AACS.

R 205.1281

Source: 1996 AACS.

R 205.1283

Source: 1996 AACS.

R 205.1285

Source: 1996 AACS.

R 205.1288

Source: 1996 AACS.

R 205.1290

Source: 1996 AACS.

#### PART 3. MATTERS BEFORE SMALL CLAIMS DIVISION

R 205.1301

Source: 1996 AACS.

R 205.1303

Source: 1996 AACS.

R 205.1305

Source: 1996 AACS.

R 205.1310

Source: 1996 AACS.

R 205.1312

Source: 1996 AACS.

R 205.1313

Source: 1996 AACS.

R 205.1315

Source: 1996 AACS.

R 205.1317

Source: 1996 AACS.

R 205.1320

Source: 1996 AACS.

R 205.1330

Source: 1996 AACS.

R 205.1332

R 205.1333

Source: 1996 AACS.

R 205.1335

Source: 1996 AACS.

R 205.1340

Source: 1996 AACS.

R 205.1342

Source: 1996 AACS.

R 205.1345

Source: 1996 AACS.

R 205.1348

Source: 1996 AACS.

#### PART 4. HEARING AND POSTHEARING PROCEDURES

R 205.1401

Source: 1997 AACS.

R 205.1405

Source: 1997 AACS.

R 205.1410,

Source: 1997 AACS.

R 205.1430,

Source: 1997 AACS.

R 205.1435

Source: 1997 AACS.

R 205.1440

Source: 1997 AACS.

R 205.1445

Source: 1997 AACS.

R 205.1450

Source: 1997 AACS.

R 205.1455,

Source: 1997 AACS.

R 205.1460

Source: 1997 AACS.

R 205.1462

Source: 1997 AACS.

R 205.1471

Source: 1997 AACS.

R 205.1475

Source: 1997 AACS.

#### PART 6. SMALL CLAIMS DIVISION

R 205.1601

Source: 1997 AACS.

R 205.1603

Source: 1997 AACS.

R 205.1605

Source: 1997 AACS.

R 205.1610

Source: 1997 AACS.

R 205.1612

Source: 1997 AACS.

R 205.1613

Source: 1997 AACS.

R 205.1615

Source: 1997 AACS.

R 205.1617

Source: 1997 AACS.

R 205.1620

Source: 1997 AACS.

R 205.1630

Source: 1997 AACS.

R 205.1632

Source: 1997 AACS.

R 205.1635

Source: 1997 AACS.

R 205.1640

Source: 1997 AACS.

R 205.1642

Source: 1997 AACS.

R 205.1645

Source: 1997 AACS.

R 205.1648

Source: 1997 AACS.

R 205.1650

Source: 1997 AACS.

DEPARTMENT OF TREASURY
BUREAU OF REVENUE
CONTESTED CASE PROCEDURES

#### **PART 1. GENERAL PROVISIONS**

R 205.3101

Source: 1995 AACS.

R 205.3102

Source: 1995 AACS.

R 205.3103

Source: 1995 AACS.

#### PART 2. COMMENCEMENT OF APPEAL PROCEEDING

R 205.3201

Source: 1995 AACS.

R 205.3202

Source: 1995 AACS.

R 205.3203

Source: 1995 AACS.

R 205.3204

Source: 1995 AACS.

R 205.3205

Source: 1995 AACS.

R 205.3206

Source: 1995 AACS.

R 205.3207

Source: 1995 AACS.

R 205.3208

Source: 1995 AACS.

R 205.3209

Source: 1995 AACS.

R 205.3210

Source: 1995 AACS.

R 205.3211

Source: 1995 AACS.

#### PART 3. PLEADINGS, MOTION PRACTICE, AND INTERVENTION

R 205.3301

Source: 1995 AACS.

R 205.3302

Source: 1995 AACS.

R 205.3303

Source: 1995 AACS.

R 205.3304

Source: 1995 AACS. R 205.3305 Source: 1995 AACS. R 205.3306 Source: 1995 AACS. R 205.3307 Source: 1995 AACS. R 205.3308 Source: 1995 AACS. R 205.3309 Source: 1995 AACS. R 205.3310 Source: 1995 AACS. R 205.3311 Source: 1995 AACS. R 205.3312 Source: 1995 AACS. R 205.3313 Source: 1995 AACS. R 205.3314 Source: 1995 AACS. R 205.3315 Source: 1995 AACS. R 205.3316 Source: 1995 AACS. PART 4. JOINT AND CONSOLIDATED PROCEEDINGS R 205.3401 Source: 1995 AACS. R 205.3402 Source: 1995 AACS. PART 5. PREHEARING CONFERENCES R 205.3501 Source: 1995 AACS. R 205.3502 Source: 1995 AACS. R 205.3503 Source: 1995 AACS. R 205.3504

Source: 1995 AACS.

R 205.3505

Source: 1995 AACS.

#### PART 6. CONDUCT OF HEARINGS

R 205.3601

Source: 1995 AACS.

R 205.3602

Source: 1995 AACS.

R 205.3603

Source: 1995 AACS.

R 205.3604

Source: 1995 AACS.

R 205.3605

Source: 1995 AACS.

R 205.3606

Source: 1995 AACS.

R 205.3607

Source: 1995 AACS.

R 205.3608

Source: 1995 AACS.

R 205.3609

Source: 1995 AACS.

R 205.3610

Source: 1995 AACS.

R 205.3611

Source: 1995 AACS.

R 205.3612

Source: 1995 AACS.

R 205.3613

Source: 1995 AACS.

R 205.3614

Source: 1995 AACS.

R 205.3615

Source: 1995 AACS.

R 205.3616

Source: 1995 AACS.

R 205.3617

Source: 1995 AACS.

R 205.3618

Source: 1995 AACS.

## **PART 7. DECISIONS**

R 205.3701

Source: 1995 AACS.

R 205.3702

Source: 1995 AACS.

R 205.3703

Source: 1995 AACS.

**PART 8. REMAND PROCEEDINGS** 

R 205.3801

Source: 1995 AACS.

R 205.3802

Source: 1995 AACS.

DEPARTMENT OF TREASURY

**BUREAU OF REVENUE** 

RECORDKEEPING AND RETENTION RULES

**PART 1. GENERAL PROVISIONS** 

R 205.4101

Source: 1998-2000 AACS.

R 205.4102

**Source:** 1998-2000 AACS.

R 205.4103

Source: 1998-2000 AACS.

PART 2. RECORDKEEPING REQUIREMENTS FOR MACHINE-SENSIBLE RECORDS

R 205.4104

Source: 1998-2000 AACS.

R 205.4105

**Source:** 1998-2000 AACS.

R 205.4106

**Source:** 1998-2000 AACS.

R 205.4107

Source: 1998-2000 AACS.

PART 3. RECORDS MAINTENANCE

R 205.4108

Source: 1998-2000 AACS.

PART 4. ACCESS TO MACHINE-SENSIBLE RECORDS

R 205.4109

Source: 1998-2000 AACS.

## PART 5. TAXPAYER RESPONSIBILITY AND DISCRETIONARY AUTHORITY

R 205.4110

Source: 1998-2000 AACS.

## PART 6. ALTERNATIVE STORAGE MEDIA

R 205.4111

**Source:** 1998-2000 AACS.

R 205.4112

Source: 1998-2000 AACS.

R 205.4113

Source: 1998-2000 AACS.

R. 205.4114

Source: 1998-2000 AACS.

# DEPARTMENT OF CONSUMER AND INDUSTRY SERVICES DIRECTOR'S OFFICE

## SOLAR, WIND, WATER, AND WOOD ENERGY INCOME TAX CREDITS

R 206.11

**Source:** 1998-2000 AACS.

R 206.12

Source: 1998-2000 AACS.

R 206.13

Source: 1998-2000 AACS.

R 206.17

**Source:** 1998-2000 AACS.

R 206.18

Source: 1998-2000 AACS.

R 206.101

Source: 1997 AACS.

R 206.102

Source: 1997 AACS.

R 206.103

Source: 1997 AACS.

R 206.104

Source: 1997 AACS.

R 206.105

R 206.106

Source: 1997 AACS.

R 206.107

Source: 1997 AACS.

R 206.108

Source: 1997 AACS.

R 206.109

Source: 1997 AACS.

R 206.110

Source: 1997 AACS.

R 206.111

Source: 1997 AACS.

R 206.112

Source: 1997 AACS.

R 206.113

Source: 1997 AACS.

R 206.114

Source: 1997 AACS.

R 206.115

Source: 1997 AACS.

R 206.116

Source: 1997 AACS.

R 206.117

Source: 1997 AACS.

R 206.118

Source: 1997 AACS.

R 206.119

Source: 1997 AACS.

R 206.120

Source: 1997 AACS.

R 206.121

Source: 1997 AACS.

### **DEPARTMENT OF STATE**

## MICHIGAN HISTORICAL CENTER

## HISTORIC PRESERVATION CERTIFICATION

R 206.151

Source: 1998-2000 AACS.

R 206.152

**Source:** 1998-2000 AACS.

R 206.153

**Source:** 1998-2000 AACS.

R 206.154

**Source:** 1998-2000 AACS.

R 206.155

**Source:** 1998-2000 AACS.

R 206.156

Source: 1998-2000 AACS.

R 206.157

**Source:** 1998-2000 AACS.

R 206.158

**Source:** 1998-2000 AACS.

R 206.159

**Source:** 1998-2000 AACS.

R 206.160

**Source:** 1998-2000 AACS.

# DEPARTMENT OF TREASURY COLLECTION DIVISION MOTOR FUEL TAX

R 207.5

Source: 1997 AACS.

R 207.6

Source: 1997 AACS.

R 207.12

Source: 1997 AACS.

R 207.15

Source: 1997 AACS.

R 207.16

Source: 1997 AACS.

# SALES, USE, AND WITHHOLDING TAXES DIVISION STATE CONVENTION FACILITY DEVELOPMENT TAX

R 207.101

Source: 1987 AACS.

R 207.102

Source: 1987 AACS.

R 207.103

Source: 1987 AACS. R 207.104 Source: 1987 AACS. R 207.105 Source: 1987 AACS. R 207.106 Source: 1987 AACS. R 207.107 Source: 1987 AACS. R 207.108 Source: 1987 AACS. R 207.109 Source: 1987 AACS. R 207.110 Source: 1987 AACS. AIRPORT PARKING TAX R 207.121 Source: 1989 AACS. R 207.122 Source: 1989 AACS. R 207.123 Source: 2002 AACS. R 207.124 Source: 1989 AACS. R 207.125 Source: 1989 AACS. R 207.126 Source: 1989 AACS. R 207.127 Source: 1989 AACS. R 207.128 Source: 1989 AACS. R 207.129 Source: 1989 AACS. R 207.130

Source: 1989 AACS.

STATE TAX COMMISSION
GENERAL RULES

## **PART 1. GENERAL PROVISIONS**

R 209.1

Source: 1982 AACS.

R 209.3

Source: 1982 AACS.

R 209.7

Source: 1982 AACS.

R 209.9

Source: 1982 AACS.

R 209.10

Source: 1997 AACS.

R 209.11

Source: 1982 AACS.

R 209.12

Source: 1982 AACS.

R 209.13

Source: 1982 AACS.

R 209.14

Source: 1982 AACS.

R 209.15

Source: 1982 AACS.

R 209.16

Source: 1982 AACS.

R 209.17

Source: 1982 AACS.

R 209.19

Source: 1982 AACS.

## PART 2. LOCAL PROPERTY TAXES

R 209.24

Source: 1982 AACS.

R 209.25

Source: 1982 AACS.

R 209.26

Source: 1982 AACS.

R 209.27

Source: 1982 AACS.

R 209.28

Source: 1982 AACS.

## PART 3. SERVICE OF DOCUMENTS

R 209.31

Source: 1997 AACS.

R 209.32

Source: 1997 AACS.

R 209.33

Source: 1997 AACS.

R 209.34

Source: 1997 AACS.

R 209.37

Source: 1997 AACS.

R 209.38

Source: 1997 AACS.

R 209.39

Source: 1997 AACS.

## PART 4. EQUALIZATION AND UTILITY ASSESSMENTS

R 209.41

Source: 1982 AACS.

R 209.42

Source: 1982 AACS.

R 209.43

Source: 1982 AACS.

## PART 5. INDUSTRIAL FACILITIES EXEMPTION CERTIFICATE

R 209.51

Source: 1982 AACS.

R 209.52

Source: 1982 AACS.

R 209.53

Source: 1982 AACS.

R 209.54

Source: 1982 AACS.

R 209.55

Source: 1982 AACS.

R 209.56

Source: 1982 AACS.

R 209.57

Source: 1982 AACS.

## PART 6. COMMERCIAL HOUSING FACILITIES EXEMPTION CERTIFICATE

R 209.61

Source: 1982 AACS.

R 209.62

Source: 1982 AACS.

PART 7. ASSESSMENT OF OMITTED OR ERRONEOUSLY REPORTED PROPERTY

R 209.71

Source: 1984 AACS.

R 209.72

Source: 1984 AACS.

R 209.73

Source: 1984 AACS.

R 209.74

Source: 1984 AACS.

R 209.75

Source: 1984 AACS.

## STATE ASSESSOR'S BOARD GENERAL RULES

## PART 1. GENERAL PROVISIONS

R 211.401

Source: 1995 AACS.

R 211.403

Source: 1983 AACS.

R 211.404

Source: 1995 AACS.

R 211.405

Source: 1995 AACS.

R 211.409

Source: 1995 AACS.

## PART 2. TRAINING PROGRAMS AND EXAMINATIONS

R 211.421

Source: 1995 AACS.

R 211.422

Source: 1995 AACS.

R 211.423

Source: 1995 AACS.

R 211.427

Source: 1995 AACS.

## PART 3. RATING AND CERTIFICATION

R 211.431

Source: 1995 AACS.

R 211.432

Source: 1995 AACS.

R 211.433

Source: 1995 AACS.

R 211.434

Source: 1995 AACS.

R 211.435

Source: 1995 AACS.

R 211.437

Source: 1995 AACS.

R 211.439

Source: 1995 AACS.

R 211.441

Source: 1998-2000 AACS.

R 211.442

Source: 1995 AACS.

R 211.444

Source: 1995 AACS.

### PART 4. REVOCATION OR SUSPENSION OF CERTIFICATION

R 211.447

Source: 1995 AACS.

## DEPARTMENT OF TRANSPORTATION

## **BUREAU OF HIGHWAY TECHNICAL SERVICES**

### DRIVEWAYS, BANNERS, AND PARADES ON AND OVER HIGHWAYS

#### PART 9. HEARINGS AND APPEALS

R 247.1

Source: 2002 AACS.

R 247.11

Source: 2002 AACS.

### PART 2. PREQUALIFICATION COMMITTEE

R 247.21

Source: 2002 AACS.

R 247.22

Source: 2002 AACS.

## PART 3. INFORMATION FROM BIDDERS

R 247.31

Source: 2002 AACS.

R 247.32

Source: 2002 AACS.

R 247.33

Source: 2002 AACS.

R 247.34

Source: 2002 AACS.

R 247.35

Source: 2002 AACS.

R 247.36

Source: 2002 AACS.

R 247.37

Source: 2002 AACS.

R 247.38

Source: 2002 AACS.

R 247.39

Source: 2002 AACS.

R 247.40

Source: 2002 AACS.

## PART 4. NUMERICAL RATINGS

R 247.41

Source: 2002 AACS.

R 247.42

Source: 2002 AACS.

R 247.43

Source: 2002 AACS.

R 247.44

Source: 2002 AACS.

R 247.45

Source: 2002 AACS.

R 247.46

Source: 2002 AACS.

R 247.47

Source: 2002 AACS.

R 247.48

Source: 2002 AACS.

R 247.49

Source: 2002 AACS.

R 247.50

Source: 2002 AACS.

PART 5. CLASSIFICATION OF BIDDERS

R 247.51

Source: 2002 AACS.

R 247.52

Source: 2002 AACS.

R 247.53

Source: 2002 AACS.

**PART 6. BIDDING** 

R.247.61

Source: 2002 AACS.

R 247.62

Source: 2002 AACS.

R 247.71

Source: 2002 AACS.

R 247.72

Source: 2002 AACS.

R 247.73.

Source: 2002 AACS.

R 247.74.

Source: 2002 AACS.

R 247.75.

Source: 2002 AACS.

R 247.76.

Source: 2002 AACS.

R 247.77.

Source: 2002 AACS.

PART 8. APPEAL OF PREQUALIFICATION DECISIONS

R 247.81

Source: 2002 AACS.

R 247.82

Source: 2002 AACS.

R 247.83

Source: 2002 AACS.

R 247.351

Source: 1998-2000 AACS.

R 247.352

**Source:** 1998-2000 AACS.

R 247.353

Source: 1998-2000 AACS.

R 247.354

Source: 1998-2000 AACS.

R 247.355

Source: 1998-2000 AACS.

R 247.356

Source: 1998-2000 AACS.

R 247.357

**Source:** 1998-2000 AACS.

R 247.358

Source: 1998-2000 AACS.

## BUREAU OF HIGHWAYS SEASONAL COUNTY ROADS

R 247.651

Source: 1982 AACS.

R 247.652

Source: 1982 AACS.

R 247.653

Source: 1982 AACS.

R 247.654

Source: 1982 AACS.

R 247.655

Source: 1982 AACS.

R 247.656

Source: 1982 AACS.

R 247.657

Source: 1982 AACS.

R 247.658

Source: 1982 AACS.

R 247.659

Source: 1982 AACS.

R 247.660

Source: 1982 AACS.

# ADVERTISING ADJACENT TO HIGHWAYS PART 4. HEARINGS AND APPEALS

R 247.741

Source: 1997 AACS.

R 247.742

Source: 1997 AACS.

R 247.743

Source: 1997 AACS.

R 247.744

Source: 1997 AACS.

R 247.745

Source: 1997 AACS.

R 247.746

Source: 1997 AACS.

R 247.747

Source: 1997 AACS.

R 247.748

Source: 1997 AACS.

# BUREAU OF URBAN AND PUBLIC TRANSPORTATION GENERAL TRANSPORTATION FUND

R 247.801

Source: 2002 AACS.

R 247.802

Source: 2002 AACS.

R 247.803

Source: 2002 AACS.

R 247.804

Source: 2002 AACS.

R 247.805

Source: 2002 AACS.

R 247.806

Source: 2002 AACS.

R 247.807

Source: 2002 AACS.

R 247.808

Source: 2002 AACS.

R 247.809

Source: 2002 AACS.

R 247.810

Source: 2002 AACS.

R 247.811

Source: 2002 AACS.

R 247.812

Source: 2002 AACS.

R 247.813

Source: 2002 AACS.

R 247.814

Source: 2002 AACS.

## INTRASTATE RAILROAD RATES

### **PART 1. GENERAL PROVISIONS**

R 247.3101

Source: 1997 AACS.

R 247.3102

Source: 1997 AACS.

R 247.3103

Source: 1997 AACS.

R 247.3104

Source: 1997 AACS.

R 247.3105

Source: 1997 AACS.

R 247.3106

Source: 1997 AACS.

R 247.3107

Source: 1997 AACS.

R 247.3108

Source: 1997 AACS.

R 247.3109

Source: 1997 AACS.

R 247.3110

Source: 1997 AACS.

R 247.3111

Source: 1997 AACS.

R 247.3112

Source: 1997 AACS.

R 247.3113

Source: 1997 AACS.

### PART 2. INVESTIGATION AND SUSPENSION OF RATES

## R 247.3201

Source: 1997 AACS.

R 247.3202

Source: 1997 AACS.

R 247.3203

Source: 1997 AACS.

R 247.3204

Source: 1997 AACS.

R 247.3205

Source: 1997 AACS.

R 247.3206

Source: 1997 AACS.

R 247.3207

Source: 1997 AACS.

R 247.3208

Source: 1997 AACS.

R 247.3209

Source: 1997 AACS.

R 247.3210

Source: 1997 AACS.

R 247.3211

Source: 1997 AACS.

R 247.3212

Source: 1997 AACS.

R 247.3213

Source: 1997 AACS.

R 247.3214

Source: 1997 AACS.

R 247.3215

Source: 1997 AACS.

R 247.3216

Source: 1997 AACS.

R 247.3217

Source: 1997 AACS.

R 247.3218

Source: 1997 AACS.

R 247.3219

R 247.3220

Source: 1997 AACS.

R 247.3221

Source: 1997 AACS.

## PART 3. COMPLAINTS AGAINST THE REASONABLENESS OF RAILROAD RATES

R 247.3301

Source: 1997 AACS.

R 247.3302

Source: 1997 AACS.

R 247.3303

Source: 1997 AACS.

R 247.3304

Source: 1997 AACS.

R 247.3305

Source: 1997 AACS.

R 247.3306

Source: 1997 AACS.

R 247.3307

Source: 1997 AACS.

R 247.3308

Source: 1997 AACS.

R 247.3309

Source: 1997 AACS.

R 247.3310

Source: 1997 AACS.

R 247.3311

Source: 1997 AACS.

R 247.3312

Source: 1997 AACS.

R 247.3313

Source: 1997 AACS.

## **PART 4. CONTRACTS**

R 247.3401

Source: 1997 AACS.

R 247.3402

Source: 1997 AACS.

R 247.3403

R 247.3404

Source: 1997 AACS.

R 247.3405

Source: 1997 AACS.

R 247.3406

Source: 1997 AACS.

R 247.3407

Source: 1997 AACS.

R 247.3408

Source: 1997 AACS.

R 247.3409

Source: 1997 AACS.

R 247.3410

Source: 1997 AACS.

R 247.3411

Source: 1997 AACS.

R 247.3412

Source: 1997 AACS.

R 247.3413

Source: 1997 AACS.

R 247.3414

Source: 1997 AACS.

R 247.3415

Source: 1997 AACS.

R 247.3416

Source: 1997 AACS.

R 247.3417

Source: 1997 AACS.

R 247.3418

Source: 1997 AACS.

R 247.3419

Source: 1997 AACS.

R 247.3420

Source: 1997 AACS.

R 247.3421

Source: 1997 AACS.

R 247.3422

Source: 1997 AACS.

### BUREAU OF URBAN AND PUBLIC TRANSPORTATION

#### COMPREHENSIVE TRANSPORTATION FUND

## PART 1. GENERAL PROVISIONS

R 247.4101

**Source:** 1998-2000 AACS.

R 247.4102

Source: 1998-2000 AACS.

R 247.4103

Source: 1998-2000 AACS.

R 247.4104

Source: 1998-2000 AACS.

R 247.4105

Source: 1998-2000 AACS.

R 247.4106

**Source:** 1998-2000 AACS.

R 247.4107

**Source:** 1998-2000 AACS.

R 247.4108

Source: 1998-2000 AACS.

### PART 2. ACCESSIBILITY PLAN

R 247.4201

**Source:** 1998-2000 AACS.

R 247.4202

**Source:** 1998-2000 AACS.

R 247.4203

Source: 1998-2000 AACS.

## PART 3. REPORTING AND COMPLIANCE REQUIREMENTS

R 247.4301

**Source:** 1998-2000 AACS.

R 247.4302

Source: 1998-2000 AACS.

R 247.4303

**Source:** 1998-2000 AACS.

R 247.4304

Source: 1998-2000 AACS.

R 247.4305

Source: 1998-2000 AACS.

R 247.4306

**Source:** 1998-2000 AACS.

R 247.4307

**Source:** 1998-2000 AACS.

# DEPARTMENT OF STATE DRIVER LICENSE APPEAL DIVISION GENERAL RULES

R 257.31

Source: 1997 AACS.

R 257.32

Source: 1997 AACS.

R 257.33

Source: 1997 AACS.

R 257.34

Source: 1997 AACS.

R 257.35

Source: 1997 AACS.

R 257.36

Source: 1997 AACS.

R 257.37

Source: 1997 AACS.

R 257.38

Source: 1997 AACS.

R 257.39

Source: 1997 AACS.

## BUREAU OF DRIVER AND VEHICLE RECORDS SPECIAL FARM VEHICLE PERMIT

R 257.51

Source: 1997 AACS.

## BUREAU OF BRANCH OFFICE SERVICES ALL-TERRAIN VEHICLES

R 257.71

Source: 1987 AACS.

R 257.72

Source: 1987 AACS.

# BUREAU OF AUTOMOTIVE REGULATION GENERAL RULES

## PART 2. MAJOR AND MINOR REPAIRS

R 257.111

Source: 1991 AACS.

PART 3. REGISTRATION OF FACILITIES

R 257.124a

Source: 1980 AACS.

R 257.124b

Source: 1980 AACS.

PART 7. CERTIFICATION OF MECHANICS

R 257.161

Source: 1996 AACS.

R 257.163

Source: 1996 AACS.

R 257.164

Source: 1996 AACS.

R 257.165

Source: 1991 AACS.

R 257.169

Source: 1996 AACS.

R 257.171

Source: 1988 AACS.

R 257.172

Source: 1996 AACS.

R 257.173

Source: 1996 AACS.

### **DEPARTMENT OF STATE**

## BUREAU OF AUTOMOTIVE REGULATION

### LICENSING VEHICLE BROKERS

R 257.181

**Source:** 1998-2000 AACS.

R 257.182

**Source:** 1998-2000 AACS.

R 257.183

Source: 1998-2000 AACS.

R 257.184

Source: 1998-2000 AACS.

R 257.185

Source: 1998-2000 AACS.

R 257.186

**Source:** 1998-2000 AACS.

R 257.187.

Source: 1998-2000 AACS.

R 257.188

Source: 1998-2000 AACS.

R 257.189

Source: 1998-2000 AACS.

R 257.190

**Source:** 1998-2000 AACS.

R 257.191

Source: 1998-2000 AACS.

TANKER LOAN PROGRAM

R 257.201

Source: 1997 AACS.

R 257.202

Source: 1997 AACS.

R 257.203

Source: 1997 AACS.

R 257.204

Source: 1997 AACS.

R 257.205

Source: 1997 AACS.

R 257.206

Source: 1997 AACS.

# BUREAU OF AUTOMOTIVE REGULATION SALVAGE VEHICLE RECORDS

R 257.251

Source: 1980 AACS.

R 257.252

Source: 1980 AACS.

R 257.253

Source: 1980 AACS.

R 257.254

Source: 1980 AACS.

R 257.255

Source: 1980 AACS.

R 257.256

Source: 1980 AACS.

R 257.257

Source: 1980 AACS.

# DRIVER LICENSE APPEAL DIVISION GENERAL RULES

R 257.301

Source: 1998-2000 AACS.

R 257.302

Source: 1998-2000 AACS.

R 257.303

**Source:** 1998-2000 AACS.

R 257.304

Source: 1998-2000 AACS.

R 257.305

Source: 1998-2000 AACS.

R 257.306

Source: 1992 AACS.

R 257.307

Source: 1992 AACS.

R 257.308

Source: 1992 AACS.

R 257.309

**Source:** 1998-2000 AACS.

R 257.310

**Source:** 1998-2000 AACS.

R 257.311

Source: 1992 AACS.

R 257.312

**Source:** 1998-2000 AACS.

R 257.313

Source: 1992 AACS.

R 257.313a

Source: 1998-2000 AACS.

R 257.314

Source: 1998-2000 AACS.

R 257.315

Source: 1992 AACS.

R 257.316

Source: 1992 AACS.

## BUREAU OF DEPARTMENT SERVICES CERTIFICATES OF NO-FAULT SELF-INSURANCE

R 257.531

Source: 1993 AACS.

R 257.532

Source: 1993 AACS.

R 257.533

Source: 1993 AACS.

R 257.534

Source: 1993 AACS.

R 257.535

Source: 1993 AACS.

R 257.536

Source: 1993 AACS.

R 257.537

Source: 1993 AACS.

R 257.538

Source: 1993 AACS.

R 257.539

Source: 1993 AACS.

R 257.540

Source: 1993 AACS.

## BUREAU OF DRIVER AND VEHICLE RECORDS SPECIAL PARKING PRIVILEGES

R 257.801

Source: 1997 AACS.

R 257.802

Source: 1997 AACS.

R 257.803

Source: 1997 AACS.

## BUREAU OF DRIVER IMPROVEMENT PHYSICAL AND MENTAL STANDARDS FOR DRIVERS

R 257.851

Source: 1988 AACS.

R 257.852

Source: 1988 AACS.

R 257.853

Source: 1988 AACS.

R 257.854

Source: 1988 AACS.

R 257.855

Source: 1988 AACS.

R 257.856

Source: 1988 AACS.

R 257.857

Source: 1988 AACS.

# DEPARTMENT OF STATE POLICE TRAFFIC SERVICES DIVISION INSPECTION OF NONPUBLIC MOTOR VEHICLES

R 257.951

Source: 1982 AACS.

R 257.952

Source: 1982 AACS.

R 257.953

Source: 1982 AACS.

R 257.954

Source: 1982 AACS.

R 257.955

Source: 1982 AACS.

# DEPARTMENT OF STATE BUREAU OF FIELD SERVICES MOTORCYCLE OPERATOR TESTS

R 257.971

Source: 1984 AACS.

R 257.972

Source: 1984 AACS.

R 257.973

Source: 1984 AACS.

R 257.974

Source: 1984 AACS.

R 257.975

Source: 1984 AACS.

## DEPARTMENT OF STATE POLICE ALCOHOL ENFORCEMENT UNIT

## DRUNK DRIVING PREVENTION EQUIPMENT AND TRAINING FUND

R 257.991

Source: 1997 AACS.

R 257.992

Source: 1997 AACS.

R 257.993

Source: 1997 AACS.

R 257.994

Source: 1992 AACS.

R 257.995

Source: 1997 AACS.

R 257.996

Source: 1997 AACS.

#### DEPARTMENT OF STATE POLICE

### BUREAU OF AUTOMOTIVE REGULATION

## BREATH ALCOHOL AND IGNITION INTERLOCK DEVICES

R 257.1001

Source: 1998-2000 AACS.

R 257. 1002

Source: 1998-2000 AACS.

R 257.1003

Source: 1998-2000 AACS.

R 257.1004

**Source:** 1998-2000 AACS.

R 257.1005

Source: 1998-2000 AACS.

R 257.1006

Source: 1998-2000 AACS.

# DEPARTMENT OF NATURAL RESOURCES RECREATIONAL SERVICES DIVISION STATE AID FOR RECREATIONAL AND SNOWMOBILE TRAILS

R 257.1521

Source: 1982 AACS.

R 257.1522

Source: 1982 AACS.

R 257.1523

Source: 1982 AACS.

R 257.1524

Source: 1982 AACS.

R 257.1525

Source: 1982 AACS.

R 257.1526

Source: 1982 AACS.

R 257.1527

Source: 1982 AACS.

R 257.1528

Source: 1982 AACS.

R 257.1529

Source: 1982 AACS.

R 257.1530

Source: 1982 AACS.

R 257.1531

Source: 1982 AACS.

R 257.1532

Source: 1982 AACS.

R 257.1533

Source: 1982 AACS.

# DEPARTMENT OF STATE BUREAU OF DRIVER AND VEHICLE SERVICES DISPLAY OF SNOWMOBILE DECAL

R 257.1551

Source: 1981 AACS.

DEPARTMENT OF NATURAL RESOURCES

LAW ENFORCEMENT DIVISION

LOCAL SNOWMOBILE CONTROL

R 257.1601

Source: 1995 AACS.

## **DEPARTMENT OF EDUCATION**

# STATE BOARD OF EDUCATION MOTORCYCLE SAFETY EDUCATION

R 257.1701

Source: 1989 AACS.

R 257.1702

Source: 1989 AACS.

R 257.1703

Source: 1989 AACS.

R 257.1704

Source: 1989 AACS.

R 257.1705

Source: 1989 AACS.

R 257.1706

Source: 1989 AACS.

R 257.1707

Source: 1989 AACS.

R 257.1708

Source: 1989 AACS.

R 257.1709

Source: 1989 AACS.

R 257.1710

Source: 1989 AACS.

R 257.1711

Source: 1989 AACS.

R 257.1712

Source: 1989 AACS.

R 257.1713

Source: 1989 AACS.

R 257.1715

Source: 1989 AACS.

R 257.1717

Source: 1989 AACS.

R 257.1721

Source: 1989 AACS.

R 257.1722

Source: 1989 AACS.

R 257.1723

Source: 1989 AACS.

R 257.1724

Source: 1989 AACS.

R 257.1725

Source: 1989 AACS.

R 257.1726

Source: 1989 AACS.

R 257.1727

Source: 1989 AACS.

# DEPARTMENT OF STATE BUREAU OF AUTOMOTIVE REGULATION AUTO EXHAUST TESTING

## **PART 1. GENERAL PROVISIONS**

R 257.3101

Source: 1997 AACS.

R 257.3102

Source: 1997 AACS.

R 257.3103

Source: 1997 AACS.

R 257.3104

Source: 1997 AACS.

R 257.3105

Source: 1997 AACS.

R 257.3106

Source: 1997 AACS.

R 257.3107

Source: 1997 AACS.

R 257.3108

Source: 1997 AACS.

## PART 2. INSTRUMENT AND INSPECTION REQUIREMENTS

R 257.3201

Source: 1997 AACS.

R 257.3202

Source: 1997 AACS.

R 257.3203

Source: 1997 AACS.

R 257.3203a

Source: 1997 AACS.

R 257.3203b

Source: 1997 AACS.

R 257.3203c

Source: 1997 AACS.

R 257.3203d

Source: 1997 AACS.

R 257.3203e

Source: 1997 AACS.

R 257.3203f

Source: 1997 AACS.

R 257.3203g

Source: 1997 AACS.

R 257.3203h

Source: 1997 AACS.

R 257.3203i

Source: 1997 AACS.

R 257.3203j

Source: 1997 AACS.

R 257.3204

Source: 1997 AACS.

R 257.3205

Source: 1997 AACS.

R 257.3206

Source: 1997 AACS.

R 257.3207

Source: 1997 AACS.

R 257.3208

Source: 1997 AACS.

R 257.3209

Source: 1997 AACS.

R 257.3210

Source: 1997 AACS.

R 257.3211

Source: 1997 AACS.

PART 3. TESTING STATIONS

R 257.3301

Source: 1997 AACS.

R 257.3302

R 257.3303

Source: 1997 AACS.

R 257.3304

Source: 1997 AACS.

R 257.3305

Source: 1997 AACS.

R 257.3306

Source: 1997 AACS.

R 257.3307

Source: 1997 AACS.

R 257.3308

Source: 1997 AACS.

R 257.3309

Source: 1997 AACS.

R 257.3310

Source: 1997 AACS.

R 257.3311

Source: 1997 AACS.

R 257.3312

Source: 1997 AACS.

R 257.3313

Source: 1997 AACS.

R 257.3314

Source: 1997 AACS.

R 257.3315

Source: 1997 AACS.

R 257.3316

Source: 1997 AACS.

R 257.3317

Source: 1997 AACS.

R 257.3318

Source: 1997 AACS.

R 257.3319

Source: 1997 AACS.

R 257.3320

Source: 1997 AACS.

R 257.3321

R 257.3321a

Source: 1997 AACS.

R 257.3322

Source: 1997 AACS.

R 257.3323

Source: 1997 AACS.

R 257.3324

Source: 1997 AACS.

PART 4. FLEET TESTING STATIONS

R 257.3401

Source: 1997 AACS.

R 257.3402

Source: 1997 AACS.

R 257.3403

Source: 1997 AACS.

R 257.3404

Source: 1997 AACS.

R 257.3405

Source: 1997 AACS.

R 257.3406

Source: 1997 AACS.

R 257.3407

Source: 1997 AACS.

R 257.3408

Source: 1997 AACS.

R 257.3409

Source: 1997 AACS.

R 257.3410

Source: 1997 AACS.

R 257.3411

Source: 1997 AACS.

R 257.3412

Source: 1997 AACS.

R 257.3413

Source: 1997 AACS.

R 257.3414

R 257.3415

Source: 1997 AACS.

R 257.3416

Source: 1997 AACS.

R 257.3417

Source: 1997 AACS.

R 257.3418

Source: 1997 AACS.

R 257.3419

Source: 1997 AACS.

## PART 5. INSPECTOR QUALIFICATION

R 257.3501

Source: 1997 AACS.

R 257.3502

Source: 1997 AACS.

R 257.3503

Source: 1997 AACS.

R 257.3504

Source: 1997 AACS.

R 257.3505

Source: 1997 AACS.

R 257.3506

Source: 1997 AACS.

### PART 6. GENERAL COMPLIANCE

R 257.3601

Source: 1997 AACS.

R 257.3602

Source: 1997 AACS.

R 257.3603

Source: 1997 AACS.

R 257.3604

Source: 1997 AACS.

R 257.3605

Source: 1997 AACS.

R 257.3606

Source: 1997 AACS.

R 257.3607

R 257.3608

Source: 1997 AACS.

R 257.3609

Source: 1997 AACS.

R 257.3610

Source: 1997 AACS.

R 257.3610a

Source: 1997 AACS.

R 257.3611

Source: 1997 AACS.

R 257.3612

Source: 1997 AACS.

# DEPARTMENT OF TRANSPORTATION AERONAUTICS COMMISSION GENERAL RULES

## **PART 1. GENERAL PROVISIONS**

R 259.201

Source: 1985 AACS.

## PART 2. LICENSES AND REGISTRATION

R 259.221

Source: 1998-2000 AACS.

R 259.222

Source: 1998-2000 AACS.

R 259.223

**Source:** 1998-2000 AACS.

R 259.224

Source: 1998-2000 AACS.

R 259.225

Source: 1998-2000 AACS.

### PART 3. SUSPENSION AND REVOCATION OF LICENSES

R 259.231

Source: 1998-2000 AACS.

R 259.232

Source: 1998-2000 AACS.

### PART 4. AIRPORT CLASSIFICATION

## R 259.241 Scope.

Rule 241. This part prescribes the minimum airport facilities required for the granting of a license to operate a public use

airport as provided by 1945 PA 327, MCL 259.1 et seq. Licensed public use airports shall be included on the Michigan aeronautical charts and other aviation publications made available to the public.

History: 1954 ACS 52, Eff. Nov. 15, 1967; 1979 AC; 1985 MR 8, Eff. Aug. 22, 1985; rescinded 1998 MR 6, Eff. June 29, 1998; 2000 MR 21, Eff. Jan. 3, 2001; 2003 MR 4, Eff. Mar. 4, 2003.

#### R 259.242

Source: 1998-2000 AACS.

### R 259.243 Basic utility airports.

Rule 243. A basic utility airport shall meet all of the following requirements:

- (a) Have an airport manager licensed by the commission.
- (b) Contain a runway that has a 1,200-foot landing length in each direction from a clear approach slope of 20 to 1. Unpaved runways shall have a minimum width of 50 feet with an additional 25 feet minimum width on each side clear of obstructions. Paved runways shall have a minimum width of 40 feet with an additional 30 feet minimum width on each side clear of obstructions.
- (c) Maintain a state primary surface for each runway clear of all obstructions. The state primary surface shall be not be less than 100 feet wide, but not less than the width of the runway.
- (d) Maintain a state approach surface that extends outward and upward from the end of the state primary surface for a distance of 5,000 feet. The shape of the state approach surface is rectangular with a minimum width of 100 feet and a length of 5,000 feet. The width of the state approach surface shall be at least as wide as the width of the runway. The state approach surface extends for a horizontal distance of 5,000 feet at a slope of 20 to 1 including 15 feet of clearance over roads, 17 feet of clearance over interstate highways, 23 feet of clearance over railroads, and 25 feet of clearance over property lines. The state approach surface begins at the runway end for unpaved runways. If an object penetrates the state approach surface, the landing threshold shall be displaced to a point where a clear 20 to 1 approach slope can be maintained.
- (e) Establish a permanent monument located on the centerline at or beyond each end of the runway.
- (f) Maintain a clearly marked automobile parking area.
- (g) Maintain an itinerant aircraft parking area.
- (h) Maintain a clearly marked entrance from a public road.
- (i) Paved runways shall have centerline marking and runway numbering conforming to the published standards of the federal aviation administration.
- (i) Unpaved runways marked in accordance with commission standards.
- (k) Maintain a windcone.
- (l) Airports that have right traffic patterns shall have a segmented circle that has traffic pattern indicators.
- (m) Runway lighting, if available for public use, shall conform to federal aviation administration standard color and layout in accordance with FAA Advisory Circular 150/5340-24 dated September 3, 1975, which is adopted by reference in these rules. Printed copies of FAA Advisory Circular 150/5340-24 are available for inspection and distribution to the public free of charge at the office of the Michigan Department of Transportation, Bureau of Aeronautics, 2700 East Airport Service Drive, Lansing, Michigan 48906. Printed copies of FAA Advisory Circular 150/5340-24 are also available, free of charge, from the United States Department of Transportation, 800 Independence Avenue, Washington, D.C. 20591.

History: 1954 ACS 52, Eff. Nov. 15, 1967; 1979 AC; 1985 MR 8, Eff. Aug. 22, 1985; rescinded 1998 MR 6, Eff. June 29, 1998; 2000 MR 21, Eff. Jan. 3, 2001; 2003 MR 4, Eff. Mar. 4, 2003.

### R 259.244 General utility airports.

Rule 244. (1) A general utility airport shall meet all of the following requirements:

- (a) Have an airport manager licensed by the commission.
- (b) Contain a runway that has a 1,800-foot landing length in each direction from a clear approach slope of 20 to 1. Unpaved runways shall have a minimum width of 100 feet. Paved runways shall have a minimum width of 40 feet.
- (c) Maintain a state primary surface for each runway clear of all obstructions. The state primary surface shall be not less than 250 feet wide.
- (d) Maintain a state approach surface for each runway end that extends outward and upward from the end of the state primary surface for a distance of 5,000 feet. The shape of the approach surface is a trapezoid that has a width of 250 feet at the end of the primary surface and expands uniformly to a width of 1,250 feet. The state approach surface extends for a horizontal distance of 5,000 feet at a slope of 20 to 1, including 15 feet of clearance over roads, 17 feet of clearance over interstate highways, 23 feet of clearance over railroads, and 25 feet of clearance over property lines. The state approach surface begins at the runway end for unpaved runways. If an object penetrates the state approach surface, the landing threshold shall be displaced to a point where a clear 20 to 1 approach slope can be maintained.

- (e) Contain a permanent monument located on the centerline at or beyond each end of the runway.
- (f) Maintain a clearly marked automobile parking area.
- (g) Maintain a clearly marked entrance from a public road.
- (h) Paved runways shall have centerline marking and runway numbering conforming to the published standards of the federal aviation administration.
- (i) Unpaved runways marked in accordance with commission standards.
- (j) Any crosswind runways shall meet minimum requirements for a basic utility runway.
- (k) Maintain a lighted windcone.
- (l) Runway lighting shall be available from sunset to sunrise daily. Lighting configuration shall conform to federal aviation administration standard color and layout in accordance with FAA Advisory Circular 150/5340-24, dated September 3, 1975, which is adopted by reference in these rules. Printed copies of FAA Advisory Circular 150/5340-24 are available for inspection and distribution to the public free of charge at the office of the Michigan Department of Transportation, Bureau of Aeronautics, 2700 East Airport Service Drive, Lansing, Michigan 48906. Printed copies of the FAA Advisory Circular 150/5340-23 are also available, free of charge, from the United States Department of Transportation, 800 Independence Avenue, Washington, D.C. 20591.
- (m) Airports that have right traffic patterns shall have a segmented circle that has traffic pattern indicators.
- (2) A general utility airport shall provide all of the following services:
- (a) An administration building or terminal building that has sanitary facilities available to the public.
- (b) Adequate means to deter unauthorized or inadvertent access to the aircraft operations area.
- (c) A telephone that is available to the public 24 hours daily on the airport and has the telephone's location clearly indicated.
- (d) A formally adopted emergency service plan prepared by the airport owner.
- (e) Airport rules and regulations that are adopted by the airport owner and available to the public.
- (f) Itinerant aircraft parking and tie-downs, including adequate ropes and chains or their equivalent.

History: 1954 ACS 52, Eff. Nov. 15, 1967; 1979 AC; 1985 MR 8, Eff. Aug. 22, 1985; rescinded 1998 MR 6, Eff. June 29, 1998; 2000 MR 21, Eff. Jan. 3, 2001; 2003 MR 4, Eff. Mar. 4, 2003.

R 259.245

**Source:** 1998-2000 AACS.

R 259.246

**Source:** 1998-2000 AACS.

R 259.247

Source: 1998-2000 AACS.

#### PART 15. INTRASTATE COMMERCIAL OPERATIONS

R 259.251

Source: 1998-2000 AACS.

259.252

**Source:** 1998-2000 AACS.

R 259.253

**Source:** 1998-2000 AACS.

R 259.254

**Source:** 1998-2000 AACS.

R 259.255

Source: 1998-2000 AACS.

PART 6. SEAPLANE BASES

R 259.261

Source: 1998-2000 AACS.

R 259.262

Source: 1998-2000 AACS.

PART 17. DEALERS AND MANUFACTURERS

R 259.271

**Source:** 1998-2000 AACS.

R 259.272

Source: 1998-2000 AACS.

R 259.373

Source: 1985 AACS.

R 259.374

Source: 1985 AACS.

R 259.375

Source: 1985 AACS.

R 259.376

Source: 1985 AACS.

R 259.377

Source: 1985 AACS.

PART 8. AIRPORT APPROACH STANDARDS

R 259.281

Source: 1998-2000 AACS.

R 259.281a

**Source:** 1998-2000 AACS.

R 259.282

Source: 1998-2000 AACS.

R 259.283

**Source:** 1998-2000 AACS.

R 259.284

Source: 1998-2000 AACS.

R 259.285

Source: 1998-2000 AACS.

R 259.286

Source: 1998-2000 AACS.

R 259.287

**Source:** 1998-2000 AACS.

R 259.288

Source: 1998-2000 AACS.

R 259.289

**Source:** 1998-2000 AACS.

R 259.290

Source: 1998-2000 AACS.

### PART 9. AIRPORT HAZARDS

R 259.291

Source: 1998-2000 AACS.

R 259.292

**Source:** 1998-2000 AACS.

R 259.293

Source: 1998-2000 AACS.

R 259.294

Source: 1998-2000 AACS.

R 259.295

Source: 1998-2000 AACS.

### PART 10. AIRPORT FIELD RULES

R 259.301

Source: 1998-2000 AACS.

R 259.302

Source: 1998-2000 AACS.

R 259.303

Source: 1998-2000 AACS.

R 259.304

Source: 1998-2000 AACS.

R 259.305

Source: 1998-2000 AACS.

R 259.306

**Source:** 1998-2000 AACS.

R 259.307

Source: 1998-2000 AACS.

R 259.308

Source: 1998-2000 AACS.

## PART 11. AIRPORT MANAGERS AND ASSISTANT AIRPORT MANAGERS

R 259.311

Source: 1998-2000 AACS.

R 259.312

**Source:** 1998-2000 AACS.

## PART 12. AVIATION SCHOOLS AND INSTRUCTORS

R 259.321

**Source:** 1998-2000 AACS.

R 259.322

Source: 1998-2000 AACS.

R 259.323

**Source:** 1998-2000 AACS.

R 259.324

Source: 1998-2000 AACS.

R 259.325

Source: 1998-2000 AACS.

**PART 13. FLYING CLUBS** 

R 259.331

Source: 1998-2000 AACS.

R 259.332

Source: 1998-2000 AACS.

R 259.333

Source: 1998-2000 AACS.

**PART 14. AIR TRAFFIC RULES** 

R 259.341

Source: 1998-2000 AACS.

R 259.342

Source: 1998-2000 AACS.

R 259.343

**Source:** 1998-2000 AACS.

R 259.344

Source: 1998-2000 AACS.

PART 15. INTRASTATE COMMERCIAL OPERATIONS

R 259.351

Source: 1998-2000 AACS.

R 259.352

Source: 1998-2000 AACS.

R 259.353

**Source:** 1998-2000 AACS.

PART 16. FINANCIAL RESPONSIBILITY

R 259.361

**Source:** 1998-2000 AACS.

R 259.362

Source: 1998-2000 AACS.

R 259.363

Source: 1998-2000 AACS.

#### PART 17. DEALERS AND MANUFACTURERS

R 259.371

Source: 1998-2000 AACS.

R 259.372

Source: 1998-2000 AACS.

R 259.373

Source: 1998-2000 AACS.

R 259.374

Source: 1998-2000 AACS.

R 259.375

Source: 1998-2000 AACS.

R 259.376

**Source:** 1998-2000 AACS.

## DEPARTMENT OF TRANSPORTATION

### **AERONAUTICS COMMISSION**

### GENERAL RULES

## PART 20. SEAPLANE OPERATIONS

R 259.401

Source: 1998-2000 AACS.

## AIRPORT DEVELOPMENT LOANS

R 259.801

Source: 1982 AACS.

R 259.802

Source: 1982 AACS.

R 259.803

Source: 1982 AACS.

R 259.804

Source: 1982 AACS.

R 259.805

Source: 1982 AACS.

R 259.806

Source: 1982 AACS.

R 259.807

Source: 1982 AACS.

### CAPITAL CITY AIRPORT TRAFFIC CODE

## **PART 1. DEFINITIONS**

R 259.1101

Source: 1997 AACS.

R 259.1102

Source: 1997 AACS.

R 259.1103

Source: 1997 AACS.

R 259.1104

Source: 1997 AACS.

R 259.1105

Source: 1997 AACS.

## **PART 2. ADMINISTRATION**

R 259.1201

Source: 1997 AACS.

R 259.1202

Source: 1997 AACS.

R 259.1203

Source: 1997 AACS.

R 259.1204

Source: 1997 AACS.

R 259.1205

Source: 1997 AACS.

R 259.1206

Source: 1997 AACS.

## PART 3. ACCIDENTS: DUTY TO STOP AND REPORT

R 259.1301—R 259.1306

Source: 1997 AACS.

R 259.1302

Source: 1997 AACS.

R 259.1303

Source: 1997 AACS.

R 259.1304

Source: 1997 AACS.

R 259.1305

Source: 1997 AACS.

R 259.1306

## **PART 4. SPEED REGULATIONS**

R 259.1401, R 259.1402 Source: 1997 AACS.

R 259.1402

Source: 1997 AACS.

**PART 5. TRAFFIC** 

R 259.1501

Source: 1997 AACS.

R 259.1502

Source: 1997 AACS.

R 259.1503

Source: 1997 AACS.

R 259.1504

Source: 1997 AACS.

R 259.1505

Source: 1997 AACS.

R 259.1506

Source: 1997 AACS.

R 259.1507

Source: 1997 AACS.

R 259.1508

Source: 1997 AACS.

R 259.1509

Source: 1997 AACS.

R 259.1510

Source: 1997 AACS.

R 259.1511

Source: 1997 AACS.

R 259.1512

Source: 1997 AACS.

R 259.1513

Source: 1997 AACS.

R 259.1514

Source: 1997 AACS.

R 259.1515

## **PART 6. TURNS**

R 259.1601

Source: 1997 AACS.

R 259.1602

Source: 1997 AACS.

R 259.1603

Source: 1997 AACS.

R 259.1604

Source: 1997 AACS.

R 259.1605

Source: 1997 AACS.

R 259.1606

Source: 1997 AACS.

R 259.1607

Source: 1997 AACS.

## **PART 7. MISCELLANEOUS**

R 259.1701

Source: 1997 AACS.

R 259.1702

Source: 1997 AACS.

R 259.1703

Source: 1997 AACS.

R 259.1704

Source: 1997 AACS.

R 259.1705

Source: 1997 AACS.

R 259.1706

Source: 1997 AACS.

R 259.1707

Source: 1997 AACS.

R 259.1708

Source: 1997 AACS.

R 259.1709

Source: 1997 AACS.

R 259.1710

Source: 1997 AACS.

R 259.1711

R 259.1712

Source: 1997 AACS.

R 259.1713

Source: 1997 AACS.

R 259.1714

Source: 1997 AACS.

R 259.1715

Source: 1997 AACS.

R 259.1716

Source: 1997 AACS.

R 259.1717

Source: 1997 AACS.

R 259.1718

Source: 1997 AACS.

R 259.1719

Source: 1997 AACS.

R 259.1720

Source: 1997 AACS.

R 259.1721

Source: 1997 AACS.

R 259.1722

Source: 1997 AACS.

R 259.1723

Source: 1997 AACS.

R 259.1724

Source: 1997 AACS.

R 259.1725

Source: 1997 AACS.

R 259.1726

Source: 1997 AACS.

R 259.1727

Source: 1997 AACS.

R 259.1728

Source: 1997 AACS.

R 259.1729

Source: 1997 AACS.

R 259.1730

Source: 1997 AACS.

R 259.1731

R 259.1732

Source: 1997 AACS.

R 259.1733

Source: 1997 AACS.

## PART 8. STOPPING, STANDING, AND PARKING

R 259.1801

Source: 1997 AACS.

R 259.1802

Source: 1997 AACS.

R 259.1803

Source: 1997 AACS.

R 259.1804

Source: 1997 AACS.

R 259.1805

Source: 1997 AACS.

R 259.1806

Source: 1997 AACS.

R 259.1807

Source: 1997 AACS.

R 259.1808

Source: 1997 AACS.

R 259.1809

Source: 1997 AACS.

R 259.1810

Source: 1997 AACS.

R 259.1811

Source: 1997 AACS.

R 259.1812

Source: 1997 AACS.

R 259.1813

Source: 1997 AACS.

R 259.1814

Source: 1997 AACS.

R 259.1815

Source: 1997 AACS.

R 259.1816

Source: 1997 AACS.

R 259.1817

R 259.1818

Source: 1997 AACS.

R 259.1819

Source: 1997 AACS.

R 259.1820

Source: 1997 AACS.

R 259.1821

Source: 1997 AACS.

R 259.1822

Source: 1997 AACS.

R 259.1823

Source: 1997 AACS.

## **PART 9. ENFORCEMENT**

R 259.1901

Source: 1997 AACS.

R 259.1902